

1964

MISSOURI
VITAL
STATISTICS

PUBLIC HEALTH STATISTICS

The Division of Health of Missouri

MISSOURI
PUBLIC HEALTH STATISTICS
VITAL STATISTICS

1964

Prepared By
Statistical Services

April, 1966

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI
DIVISION OF HEALTH
STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65101

P R E F A C E

This is the final tabulation of statistical data for the period 1964. This annual report of Vital Statistics was compiled for use in the study of birth, death, marriage and divorce statistics.

If more detailed information is desired, one may obtain such data by contacting the Missouri Division of Health, Statistical Services, State Office Building, Jefferson City, Missouri, 65101.

STATISTICAL SERVICES

1966

BACKGROUND

COMPILATION AND UTILIZATION

Vital Statistics in Missouri are compiled from five documents which are filed with the Division of Health by State Law. To obtain the fullest use of these records, many sources of data must be utilized, including population, social science, medical, statistical, and demographic literature. Vital data are of little value unless special care is taken to analyze the cause and effect of the trends in vital events. To do this, knowledge and understanding of considerable background material are necessary. In Missouri, the five basic records on file with the Division of Health are: (1) birth records, (2) death records, and (3) stillbirth records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948. Much use is made of the data concerning vital events because they play such an important part in both our economy and social structure. The births that occur today will affect the sale of childrens' toys, the construction of schools, the number of homes to be built for future families and the aging population. People interested in these problems and others must turn to vital statistics for source and background data.

The economic and social factors which are affected by the occurrence of vital events, in turn, are significant in the present and future health of the people in Missouri.

RELIABILITY OF THE DATA

Statistics are neither more true nor more false than the interpretation given to them. Figures cannot be wrong until we interpret them as representing a specific thing. The value of the data lessens as the knowledge of the person using a specific kind of data decreases. Reports published by the Bureau of Vital Statistics are limited in their scope by the amount of time and money available for their publication. They are published in a form standardized for use by vital statisticians. This means that certain facts must be realized if knowledge is to be gained from the use of these reports. A novice can best ask for advice from a person trained in the use of statistics, their collection, tabulation, and interpretation. The main sources of error found in vital statistics are: underregistration¹, improper tabulation procedure, poor response or indifference on the part of those responsible for completing vital records, and probably the most dangerous source of error, improper interpretation.

Age and sex distribution together with social and economic conditions play a large part in the health of the people of any state. Missouri counties have a range in age from one county with one-half of its people under 21 years of age to another with one-half of the people over 40 years of age. A county that has a population composed primarily of younger persons might present a fictitious picture of good health if the number of deaths is used as a measure of health. The reverse could be true in a county composed predominantly of older persons.

POPULATION

Population data used for computing rates shown in this report were obtained from the following sources: Population Estimates, 1911-1950, taken from the United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1965; 1960 population taken from United States Census of Population, "General Characteristics," PC(1) 27B; 1951-1959 and 1961-1963 as computed by the Missouri Division of Health, Statistical Services. The components used to compute the 1961 through 1963 estimates² were the net change, natural increase and net migration. The net migration based upon the experience during the period 1950-1960.

USE OF THE TERMS "RECORDED" AND "RESIDENT"

Historically, vital statistics have been presented in two forms, "Recorded" and "Resident". It is important to understand the significance of these terms when analyzing vital statistics. As an example, this report might show birth data as follows for two selected areas:

Recorded live births, City of Springfield - 3,394
Resident live births, City of Springfield - 1,942
Recorded live births, Gasconade County - 6
Resident live births, Gasconade County - 214

What accounts for the difference in the above birth numbers? The differences are between the recorded and resident births of an area, due mainly to facilities available in the area. In the first case, people are coming into a city to have their babies, because of the medical facilities available. In the second case, people are leaving an area to have their babies.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child).

RACE AND COLOR

The category "white" includes, in addition to persons reported as "white", those reported as Mexican, Puerto Rican, Chinese, Japanese, Indian, except Negro. In other words, persons reported as "Negro" are recorded as "nonwhite"; all other classes are recorded as "white". Any person reported as a mixed race which includes "Negro" is recorded as "nonwhite".

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here were classified in accordance with the World Health Organization Regulations, see "Manual of the International Statistical Classification of Diseases and Causes of Death", based on the recommendations of the Seventh Revision Conference, 1955.

¹This report includes the marriages and divorces reported to this office. There are a few counties which did not report any of these events. In some cases this may be a true picture of the occurrences in those counties; in others, it represents underreporting. This report does not include information from those Missouri residents who marry and seek divorce outside of the State. As yet, there is no interchange between states of these events. The data is recorded. As State laws change, this causes changes in the rate which may not represent a true picture. Thus, a tightening of divorce laws may drop the reported divorce rate but not the resident rate.

²Estimates recomputed and adjusted April, 1965.

PREFACE

BACKGROUND

TABLE OF CONTENTS

BIRTHS, DEATHS, INFANT DEATHS

Table		Page
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911-1944	1
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945-1964	1
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1964 . . .	2
4	Resident and Recorded Births and Fetal Deaths by Counties and Cities Over 10,000 Population, With Rates, Missouri: 1964	3
5	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1964 . .	5
6	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1964	5
	<u>ACCIDENTS</u>	
7	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1964	6
	<u>DEATHS, INFANT DEATHS, MATERNAL DEATHS</u>	
8	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1964	7
9	Resident Maternal Deaths by Cause and Color With Rates, Missouri: 1964	7
10	Resident Deaths, Age Groups by Sex and Color and By Selected Causes of Death, Missouri: 1964	8
11	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties and Cities Over 10,000 Population, With Rates, Missouri: 1964	9
12	Resident Infant Deaths By Age, Cause, and Color With Rates by Cause and Color, Missouri: 1964 . . .	11
13	Resident Live Births, Fetal Deaths, and Selected Causes of Death by Color and Attendant at Birth With Rates, State Total and Population Groups, Missouri: 1964	12
14	Estimated Population, Resident Live Births, Fetal Deaths, and Selected Causes of Death by Color And Attendant at Birth, County Areas Including Cities, Missouri: 1964	14
15	Resident Live Births, Fetal Deaths and Selected Causes of Death by Color and Attendant at Birth, Cities of 10,000 Population and Over, Missouri: 1964	33
	<u>MARRIAGES</u>	
16	Reported Marriages by Age of Groom, By Age of Bride, Missouri: 1964	40
17	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1964 . .	41
18	Reported Marriages by Marital Status, Missouri: 1964	41
19	Reported Marriages by Color of Groom, Missouri: 1964	41
	<u>DIVORCES</u>	
20	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1964	42
21	Reported Divorces and Annulments by Duration of Marriage, Missouri: 1964.	42
22	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1964	43
23	Reported Divorces and Annulments by Complainant Versus To Whom Decree Granted, Missouri: 1964 . . .	43
24	Reported Divorces and Annulments by Complainant Versus Disposition of Children, Missouri: 1964 . . .	43
25	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1964	43
26	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1964	43
27	Reported Divorces and Annulments by Color, Husband Versus Wife, Missouri: 1964	43
28	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1964	43

BIRTHS, DEATHS, FETAL DEATHS

TABLE 1. POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2. POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1964

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,366	101,462	23.2	47,933	11.0	97,321	22.3	47,303	10.8	50,018
1962	4,400	97,658	22.2	49,685	11.3	93,879	21.3	49,016	11.1	44,863
1963	4,429	93,545	21.1	51,159	11.6	90,363	20.4	50,538	11.4	39,825
1964	4,455	90,918	20.4	50,271	11.3	88,335	19.8	49,617	11.1	38,718

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1964 (adjusted 1965) as computed by the Missouri Division of Health; 1960, taken from the United States Census of Population, PC(1) 27B.

TABLE 3. SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR ATTENDANT, LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE, URBAN AND RURAL, MISSOURI: 1964

Number							Percentages							Number							Percentages						
Live Births		State Total	Urban	Rural	State Total	Urban	Rural	Live Births		State Total	Urban	Rural	State Total	Urban	Rural	Live Births		State Total	Urban	Rural	State Total	Urban	Rural				
SEX - COLOR																											
Grand Total		88,335	46,629	41,706	100.0	100.0	100.0	ATTENDANT - COLOR		Grand Total	88,335	46,429	41,706	100.0	100.0	100.0	Grand Total		88,335	46,429	41,706	100.0	100.0	100.0			
Total Male		45,258	23,796	21,462	51.2	51.0	51.5	M.D.		78,603	43,478	35,125	89.0	93.3	84.2	M.D.		78,603	43,478	35,125	89.0	93.3	84.2				
Total Female		43,077	22,833	20,244	48.8	49.0	48.5	D.O.		9,276	3,054	6,222	10.5	6.5	14.9	D.O.		9,276	3,054	6,222	10.5	6.5	14.9				
White Total		75,602	35,755	39,847	100.0	100.0	100.0	Midwife		339	62	277	0.4	0.1	0.7	Midwife		339	62	277	0.4	0.1	0.7				
Male		38,826	18,311	20,515	51.4	51.2	51.5	Others		116	34	82	0.1	0.1	0.2	Others		116	34	82	0.1	0.1	0.2				
Female		36,776	17,444	19,332	48.6	48.8	48.5	Unknown		1	1	-	0.0	0.0	-	Unknown		1	1	-	0.0	0.0	-				
Nonwhite Total		12,733	10,874	1,859	100.0	100.0	100.0	White Total		75,602	35,755	39,847	100.0	100.0	100.0	White Total		75,602	35,755	39,847	100.0	100.0	100.0				
Male		6,432	5,485	947	50.5	50.4	50.9	M.D.		66,570	32,770	33,800	88.1	91.7	84.7	M.D.		66,570	32,770	33,800	88.1	91.7	84.7				
Female		6,301	5,389	912	49.5	49.6	49.1	D.O.		8,875	2,955	5,920	11.7	8.3	14.9	D.O.		8,875	2,955	5,920	11.7	8.3	14.9				
								Midwife		77	13	64	0.1	0.0	0.2	Midwife		77	13	64	0.1	0.0	0.2				
								Others		80	17	63	0.1	0.0	0.2	Others		80	17	63	0.1	0.0	0.2				
								Unknown		-	-	-	-	-	-	Unknown		-	-	-	-	-	-				
								Nonwhite Total		12,733	10,874	1,859	100.0	100.0	100.0	Nonwhite Total		12,733	10,874	1,859	100.0	100.0	100.0				
								M.D.		12,033	10,708	1,325	94.5	98.4	71.3	M.D.		12,033	10,708	1,325	94.5	98.4	71.3				
								D.O.		401	99	302	3.1	0.9	16.2	D.O.		401	99	302	3.1	0.9	16.2				
								Midwife		262	49	213	2.1	0.5	11.5	Midwife		262	49	213	2.1	0.5	11.5				
								Others		36	17	19	0.3	0.2	1.0	Others		36	17	19	0.3	0.2	1.0				
								Unknown		1	1	-	0.0	0.0	-	Unknown		1	1	-	0.0	0.0	-				
Number																											
Percentages																											
Live Births		State Total	Urban		Rural		State Total		Urban		Rural		State Total		Urban		Rural		State Total		Urban		Rural				
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White		Nonwhite		White		Nonwhite		White		Nonwhite		White		Nonwhite					
LEGITIMACY - COLOR																											
Live Birth Total		75,602	12,733	35,755	10,874	39,847	1,859	100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0					
Legitimate		73,151	8,641	34,443	7,402	38,708	1,239	96.7		67.8		96.4		68.0		97.1		66.6		97.1		66.6					
Illegitimate		2,406	4,085	1,295	3,466	1,111	619	3.2		32.1		3.6		31.9		2.8		33.3		2.8		33.3					
Not Stated		45	7	17	6	28	1	0.1		0.1		0.0		0.1		0.1		0.1		0.1		0.1					
DEFORMITY - COLOR																											
Live Birth Total		75,602	12,733	35,755	10,874	39,847	1,859	100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0					
Deformed Total		925	95	447	72	478	23	1.2		0.7		1.2		0.7		1.2		1.2		1.2		1.2					
Not Deformed Total		66,828	11,701	32,046	9,983	34,782	1,718	88.4		91.9		89.7		91.8		87.3		92.5		87.3		92.5					
Not Stated or Unknown		7,849	937	3,262	819	4,587	118	10.4		7.4		9.1		7.5		11.5		6.3		11.5		6.3					
BIRTH WEIGHT - ATTENDANT																											
Over 5½ lbs. Total		70,326	10,761	33,129	9,147	37,197	1,614	100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0					
M.D.		61,977	10,156	30,396	9,009	31,581	1,147	88.1		94.3		91.8		98.4		84.9		71.0		91.8		71.0					
D.O.		8,212	344	2,710	78	5,502	266	11.7		3.2		8.2		0.9		14.8		16.5		8.2		16.5					
Midwife		73	233	10	46	63	187	0.1		2.2		0.0		0.5		0.2		11.6		0.5		11.6					
Others		64	28	13	14	51	14	0.1		0.3		0.0		0.2		0.1		0.9		0.2		0.9					
Under 5½ lb. Total		5,089	1,937	2,574	1,704	2,515	233	100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0					
M.D.		4,464	1,851	2,332	1,677	2,132	174	87.8		95.6		90.6		98.4		84.7		74.7		90.6		74.7					
D.O.		613	52	237	21	376	31	12.0		2.7		9.2		1.2		15.0		13.3		9.2		13.3					
Midwife		1	28	1	3	-	25	0.0		1.4		0.0		0.2		-		10.7		0.0		10.7					
Others		11	6	4	3	7	3	0.2		0.3		0.2		0.2		0.3		1.3		0.2		1.3					
Not Stated Total		187	35	52	23	135	12	100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0					
M.D.		129	26	42	22	87	4	69.0		74.2		80.8		95.7		64.5		33.3		80.8		33.3					
D.O.		50	5	8	-	42	5	26.7		14.3		15.4		-		31.1		41.7		15.4		41.7					
Midwife		3	1	2	-	1	1	1.6		2.9		3.8		-		0.7		8.3		3.8		8.3					
Others		5	3	-	1	5	2	2.7		8.6		-		4.3		3.7		16.7		-		16.7					
DELIVERIES BY PLACE																											
Place of Birth Total		75,602	12,733	35,755	10,874	39,847	1,859	100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0					
Hospital		72,965	11,740	35,491	10,753	37,474	987	96.5		92.2		99.2		98.9		94.1		53.1		99.2		53.1					
Clinic		2,026	529	102	4	1,924	525	2.7		4.2		0.3		0.0		4.8		28.2		0.3		28.2					
Residence		540	450	140	107	400	343	0.7		3.5		0.4		1.0		1.0		18.5		0.4		18.5					
Other		71	14	22	10	49	4	0.1		0.1		0.1		0.1		0.1		0.2		0.1		0.2					
MONTH OF OCCURRENCE																											
Total		75,602	12,733	35,755	10,874	39,847	1,859	100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0					
January		6,256	1,061	2,945	892	3,311	169	8.3		8.3		8.2		8.2		8.3		9.1		8.2		9.1					
February		6,105	963	2,864	823	3,241	140	8.1		7.6		8.0		7.6		8.1		7.5		8.0		7.5					
March		6,154	954	2,913	806	3,241	148	8.1		7.5		8.1		7.4		8.1		8.0		8.1		8.0					
April		5,660	940	2,723	792	2,937	148	7.5		7.4		7.6		7.3		7.4		8.0		7.6		8.0					
May		5,965	896	2,910	763	3,055	133	7.9		7.0		8.1		7.0		7.7		7.2		8.1		7.2					
June		6,008	1,094	2,907	940	3,101	154	7.9		8.6		8.1		8.6		7.8		8.3		8.6		8.3					
July		6,807	1,176	3,188	987	3,619	189	9.0		9.2		8.9		9.1		9.1		10.1		9.2		10.1					
August		6,934	1,177	3,219	1,000	3,715	177	9.2		9.3		9.1		9.2		9.3		9.5		9.3		9.5					
September		6,859	1,107	3,205	947	3,654	160	9.1		8.7		9.1		8.7		9.2		8.6		9.1		8.6					
October		6,587	1,158	3,158	1,003	3,429	155	8.7		9.1		8.8		9.2		8.6		8.3		8.8		8.3					
November		6,112	1,107	2,802	966	3,310	141	8.1		8.7		7.8		8.9		8.3		7.6		8.9		7.6					
December		6,155	1,100	2,921	955	3,234	145	8.1		8.6		8.2		8.8		8.1		7.7		8.8		7.7					

Percentages are computed on the basis of total white and nonwhite live births.

Urban areas include cities over 10,000 population according to 1960 Census. All other areas are included in "rural".

TABLE 4. RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1964

Counties and Cities over 10,000	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
State Total	4,455,139	88,335	1,372	90,918	1,400	19.8	15.5	20.4	15.4
Cities over 10,000	46,629	778	778	65,619	1,025	-	-	-	-
Rural	41,706	594	594	25,299	375	-	-	-	-
Counties incl. Cities over 10,000:									
Adair	19,690	423	3	729	10	21.5	7.1	37.0	13.7
Andrew	10,505	191	3	3	-	18.2	15.7	0.3	-
Atchison	8,188	151	3	227	5	18.4	19.9	27.7	22.0
Audrain	25,968	520	8	656	9	20.2	15.4	25.5	13.7
Barry	17,226	289	5	431	11	16.8	17.3	25.0	25.5
Barton	10,038	154	-	179	1	15.3	-	17.8	5.6
Bates	14,688	222	6	200	3	15.1	27.0	13.6	15.0
Benton	8,214	142	1	45	-	17.3	7.0	5.5	-
Bollinger	8,226	151	1	57	1	18.4	6.6	0.7	17.5
Boone	57,712	1,469	15	2,045	30	25.5	10.2	35.4	14.7
Buchanan	85,773	1,777	35	2,211	43	20.7	19.7	25.8	19.4
Butler	32,067	636	8	1,008	20	19.8	12.6	31.4	19.8
Caldwell	8,037	109	1	3	-	13.6	9.2	0.4	-
Callaway	23,291	399	9	236	4	17.1	22.6	10.1	16.9
Camden	9,311	142	1	41	-	15.3	7.0	4.4	-
Cape Girardeau	41,938	789	8	1,296	16	18.8	10.1	30.9	12.3
Carroll	12,678	200	1	168	1	15.8	5.0	13.3	6.0
Carter	3,561	62	1	3	1	17.4	16.1	0.8	333.3
Cass	35,742	629	14	703	12	17.6	22.3	19.7	17.1
Cedar	8,423	147	3	182	3	17.5	20.4	21.6	16.5
Chariton	11,438	180	2	5	-	15.7	11.1	0.4	-
Christian	11,881	208	1	2	-	17.5	4.8	0.2	-
Clark	8,368	159	1	4	-	19.0	6.3	0.5	-
Clay	119,575	2,057	26	1,522	31	17.2	12.6	12.7	20.4
Clinton	11,120	183	2	219	3	16.5	10.9	19.7	13.7
Cole	41,852	798	9	1,430	17	19.1	11.3	34.2	11.9
Cooper	14,456	257	3	215	4	17.8	11.7	14.9	18.6
Crawford	12,629	247	4	358	4	19.6	16.2	28.3	11.2
Dade	6,724	104	-	47	1	15.5	-	7.0	21.3
Dallas	8,497	99	2	4	-	11.7	20.2	0.5	-
Daviess	8,473	124	2	54	-	14.6	16.1	6.4	-
DeKalb	6,620	80	-	-	-	12.1	-	-	-
Dent	9,779	168	3	123	-	17.2	17.9	12.6	-
Douglas	8,376	131	3	41	1	15.6	22.9	4.9	24.4
Dunklin	35,458	774	15	932	16	21.8	19.4	26.3	17.2
Franklin	47,622	1,130	12	1,047	9	23.7	10.6	22.0	8.6
Gasconade	11,674	173	1	1	1	14.8	5.8	0.1	1000.0
Gentry	7,754	133	2	157	3	17.2	15.0	20.2	19.1
Greene	132,269	2,504	30	3,390	40	18.9	12.0	25.6	11.8
Grundy	11,262	180	3	188	3	16.0	16.7	1.6	16.0
Harrison	10,231	152	-	156	2	14.9	-	15.2	12.8
Henry	18,204	306	6	400	7	16.8	19.6	22.0	17.5
Hickory	4,006	34	-	13	-	8.5	-	3.2	-
Holt	6,856	94	2	1	-	13.7	21.3	0.1	-
Howard	10,190	170	3	116	3	16.7	17.6	11.4	25.9
Howell	20,895	369	5	480	5	17.7	13.6	23.0	10.4
Iron	7,199	151	2	202	5	21.0	13.2	28.1	24.8
Jackson	638,281	13,877	189	16,182	206	21.7	13.6	25.4	12.7
Jasper	75,682	1,474	24	1,602	24	19.5	16.3	21.2	15.0
Jefferson	85,844	1,894	23	700	11	22.1	12.1	8.2	15.7
Johnson	33,154	491	5	708	5	14.8	10.2	21.4	7.1
Knox	5,964	116	1	23	1	19.5	8.6	3.9	43.5
Laclede	18,275	344	6	365	5	18.8	17.4	20.0	13.7
Lafayette	24,315	393	5	283	3	16.2	12.7	11.6	10.6
Lawrence	22,422	415	9	283	5	18.5	21.7	12.6	17.7
Lewis	10,813	180	3	3	-	16.6	16.7	0.3	-
Lincoln	14,958	282	1	483	4	18.9	3.5	32.3	8.3
Linn	15,253	174	5	241	3	11.4	28.7	1.6	12.4
Livingston	14,883	277	4	373	4	18.6	14.4	25.2	10.7
McDonald	10,578	195	7	1	-	18.4	35.9	0.1	-
Macon	15,204	204	6	185	6	13.4	29.4	12.2	32.4
Madison	8,492	149	-	241	-	17.5	-	28.4	-
Maries	6,910	111	-	-	-	16.1	-	-	-
Marion	28,293	550	3	858	7	19.4	5.5	30.3	8.2
Mercer	5,002	51	-	55	-	10.2	-	11.0	-
Miller	13,347	258	2	189	1	19.3	7.8	14.2	5.3
Mississippi	19,202	535	10	365	6	27.9	18.7	19.0	16.4
Moniteau	10,000	184	5	75	3	18.4	27.2	7.5	40.0
Monroe	10,150	137	1	6	-	13.5	7.3	0.6	-
Montgomery	10,854	199	4	3	-	18.3	20.1	0.3	-

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July, 1964 estimate, adjusted March 1965.

TABLE 4 (CONTINUED). RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1964

Counties Incl. Cities over 10,000	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Morgan	8,832	123	1	1	-	13.9	8.1	0.1	-
New Madrid	27,719	684	14	261	7	24.7	20.5	9.4	26.8
Newton	29,794	515	4	535	7	17.3	7.8	18.0	13.1
Nodaway	20,660	400	5	404	5	19.4	12.5	19.6	12.4
Oregon	8,737	140	-	113	-	16.0	-	12.9	-
Osage	10,356	223	3	-	-	21.5	13.5	-	-
Ozark	5,769	85	2	41	2	14.7	23.5	7.1	48.8
Pemiscot	34,487	901	28	953	26	26.1	31.1	27.6	27.3
Perry	13,887	298	5	543	10	21.5	16.8	39.1	18.4
Pettis	35,654	613	15	744	15	17.2	24.5	20.9	20.2
Phelps	26,301	518	7	611	9	19.7	13.5	23.2	14.7
Pike	16,096	325	2	305	2	20.2	6.2	18.9	6.6
Platte	28,241	514	8	5	-	18.2	15.6	0.2	-
Polk	12,395	162	2	80	-	13.1	12.3	6.5	-
Pulaski	45,833	480	13	1,036	15	10.5	27.1	22.6	14.5
Putnam	6,047	94	2	108	2	15.5	21.3	17.9	18.5
Ralls	7,552	115	2	3	-	15.2	17.4	0.4	-
Randolph	20,879	356	5	449	5	17.1	14.0	21.5	11.1
Ray	15,721	255	2	248	-	16.2	7.8	15.8	-
Reynolds	4,446	67	4	2	-	15.1	59.7	0.4	-
Ripley	8,021	143	-	163	1	17.8	-	20.3	6.1
St. Charles	70,321	1,840	28	1,524	23	26.2	15.2	21.7	15.1
St. Clair	7,437	118	2	91	3	15.9	16.9	12.2	33.0
St. Francois	35,221	654	11	769	11	18.6	16.8	21.8	14.3
Ste. Genevieve	11,949	269	5	7	1	22.5	18.6	0.6	142.9
St. Louis County	888,060	16,044	191	10,085	130	18.1	11.9	11.4	12.9
Saline	23,734	405	7	380	7	17.1	17.3	16.0	18.4
Schuyler	4,600	74	1	2	-	16.1	13.5	0.4	-
Scotland	5,938	99	2	2	1	16.7	20.2	0.3	500.0
Scott	31,623	804	14	783	18	25.4	17.4	24.8	23.0
Shannon	6,495	144	2	35	2	22.2	13.9	5.4	57.1
Shelby	8,451	136	2	4	-	16.1	14.7	0.5	-
Stoddard	27,019	506	10	454	4	18.7	19.8	16.8	8.8
Stone	7,481	141	5	-	1	18.8	35.5	-	-
Sullivan	7,620	91	1	93	1	11.9	11.0	12.2	10.8
Taney	9,995	159	1	217	3	15.9	6.3	21.7	13.8
Texas	16,625	316	6	465	6	19.0	19.0	28.0	12.9
Vernon	19,073	250	6	227	5	13.1	24.0	11.9	22.0
Warren	9,047	167	-	2	-	18.5	-	0.2	-
Washington	13,618	323	6	226	5	23.7	18.6	16.6	22.1
Wayne	7,700	183	3	1	-	23.8	16.4	0.1	-
Webster	12,837	265	1	177	3	20.6	3.8	13.8	16.9
Worth	3,416	62	1	-	-	18.1	16.1	-	-
Wright	12,975	223	4	114	1	17.2	17.9	8.8	8.8
Cities over 10,000:									
Bellefontaine Neighbors		121	-	-	-				
Berkeley		406	4	-	-				
Brentwood		325	4	-	-				
Cape Girardeau City		501	7	1,296	16				
Carthage		205	3	400	3				
Clayton		168	-	786	15				
Columbia		925	8	2,040	29				
Crestwood		228	4	-	-				
Ferguson		494	4	-	-				
Florissant		1,684	17	-	1				
Fulton		144	2	235	4				
Gladstone		228	3	2	-				
Hannibal		366	1	857	7				
Independence		2,174	24	1,517	14				
Jefferson City		462	8	1,428	17				
Jennings		304	2	1	-				
Joplin		741	10	1,260	18				
Kansas City		11,219	171	14,664	193				
Kirksville		326	1	727	10				
Kirkwood		566	8	1,307	20				
Maplewood		254	4	-	-				
Mexico		260	3	645	9				
Moberly		222	3	444	5				
Overland		681	8	1	1				
Poplar Bluff		310	4	980	20				

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July, 1964 estimate, adjusted March 1965.

TABLE 4 (CONTINUED). RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1964

Cities over 10,000:	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Raytown		475	4	1	-				
Richmond Heights		196	2	3,983	46				
Rolla		242	4	608	9				
St. Ann		465	4	-	-				
St. Charles		833	14	1,522	23				
St. Joseph		1,525	32	2,206	43				
St. Louis City	683,917	15,994	361	23,901	450	23.4	22.6	34.9	18.8
Sedalia		426	9	742	15				
Sikeston		321	4	676	17				
Springfield		1,806	23	3,390	39				
University City		622	13	-	1				
Webster Groves		410	5	-	-				
Incl. in Above Cities:									
Hannibal-Ralls		3	-	-	-				
Joplin-Newton		38	-	180	3				
Kansas City-Clay		983	14	2	1				
Sikeston-New Madrid		1	-	-	-				
Kansas City-Platte		170	3	1	-				

TABLE 5. RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER, SEX AND COLOR OF CHILD, MISSOURI: 1964

Age of Mother	Grand Total	Urban					Rural					Total
		White		Non-White		Total	White		Non-White			
		Male	Female	Male	Female		Male	Female	Male	Female		
All Ages	88,335	18,311	17,444	5,485	5,389	46,629	20,515	19,332	947	912	41,706	
10-14 Years	178	10	25	44	47	126	22	12	13	5	52	
15-19 Years	14,249	2,615	2,511	1,292	1,174	7,592	3,217	2,958	264	218	6,657	
20-24 Years	31,444	7,046	6,525	1,731	1,705	17,007	7,145	6,784	246	262	14,437	
25-29 Years	20,991	4,360	4,349	1,163	1,118	10,990	4,988	4,644	197	172	10,001	
30-34 Years	12,447	2,512	2,357	730	793	6,392	2,964	2,830	124	137	6,055	
35-39 Years	6,817	1,344	1,298	408	439	3,489	1,617	1,563	68	80	3,328	
40-44 Years	2,079	395	366	115	104	980	528	502	32	37	1,099	
45-49 Years	103	27	12	2	6	47	22	31	2	1	56	
50 Years & Over	-	-	-	-	-	-	-	-	-	-	-	
Unknown	27	2	1	-	3	6	12	8	1	-	21	

TABLE 6. RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI: 1964

Weight	Total	Resident		Total	Recorded	
		White	Nonwhite		White	Nonwhite
2 Pounds 3 Ounces or Less	267	190	77	264	195	69
2 Pounds 4 Ounces - 3 Pounds 4 Ounces	137	101	36	139	106	33
3 Pounds 5 Ounces - 4 Pounds 6 Ounces	147	98	49	149	101	48
4 Pounds 7 Ounces - 5 Pounds 8 Ounces	158	111	47	168	119	49
5 Pounds 9 Ounces - 6 Pounds 9 Ounces	160	121	39	163	124	39
6 Pounds 10 Ounces - 7 Pounds 11 Ounces	139	103	36	144	107	37
7 Pounds 12 Ounces - 8 Pounds 13 Ounces	80	61	19	82	63	19
8 Pounds 14 Ounces - 9 Pounds 14 Ounces	38	30	8	39	32	7
9 Pounds 15 Ounces or More	32	25	7	34	26	8
Unknown or Not Stated	214	166	48	218	169	49
Totals	1,372	1,006	366	1,400	1,042	358

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July, 1964 estimate, adjusted March, 1965.

ACCIDENTS

TABLE 7. RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI: 1964

Type of Accident	All Ages		0-4		5-14		15-24		25-44		45-64		65-74		75 & Over		Age Unk.	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1. GRAND TOTAL	1,903	965	110	95	118	62	376	102	409	112	446	170	191	116	250	307	3	1
2. WORK TOTAL	181	9	3	2	11	3	26	-	49	1	63	2	19	1	10	-	-	-
3. Agriculture	97	9	3	2	11	3	12	-	18	1	31	2	15	1	7	-	-	-
4. Mining, Quarrying, Oil and Gas Wells	7	-	-	-	-	-	2	-	1	-	4	-	-	-	-	-	-	-
5. Manufacturing	14	-	-	-	-	-	1	-	6	-	5	-	1	-	1	-	-	-
6. Construction	33	-	-	-	-	-	3	-	13	-	14	-	2	-	1	-	-	-
7. Transportation	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
8. Public Utilities	4	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
9. Trade	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
10. Service	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
11. Other Specified Industry	14	-	-	-	-	-	3	-	4	-	6	-	-	-	1	-	-	-
12. Unspecified Industry	5	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-
13. HOME TOTAL	395	370	66	52	26	11	23	6	39	17	77	56	54	45	110	183	-	-
14. Poisonings (gas excepted)	7	12	-	1	-	-	-	-	3	4	4	6	-	1	-	-	-	-
15. Poisonings by Gases and Vapors	16	10	-	-	-	2	3	1	4	-	7	-	-	3	2	4	-	-
16. Fire, Explosion of Combustible Material	104	81	23	18	6	3	7	3	12	5	22	24	17	10	17	18	-	-
17. Hot Substance, Corrosive Liquid, Steam	5	4	2	-	1	-	-	-	-	-	2	1	-	-	-	3	-	-
18. Mechanical Suffocation	28	20	22	16	1	-	-	-	-	-	3	2	1	-	1	2	-	-
19. Firearms	33	6	2	-	8	2	7	2	5	1	8	1	1	-	2	-	-	-
20. Falls on Same Level	30	41	-	-	-	1	1	-	1	-	4	-	4	8	20	32	-	-
21. Falls to Different Level	125	168	8	4	1	-	-	-	4	1	19	21	27	22	66	120	-	-
22. Other Specified Home Accidents	46	27	9	13	9	3	5	-	10	5	8	1	3	1	2	4	-	-
23. Unspecified Home Accidents	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
24. MOTOR-VEHICLE TOTAL	934	395	25	31	54	36	270	89	245	78	208	88	68	46	63	27	1	-
25. Injury to Pedestrian	106	49	9	7	15	12	7	2	13	4	32	8	15	9	15	7	-	-
26. Collision with Other Motor Vehicle	379	226	9	19	12	14	94	47	105	50	91	56	37	24	31	16	-	-
27. Collision with Railroad Train	32	7	2	-	-	-	12	4	5	-	9	3	2	-	2	-	-	-
28. Collision with Street Car	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29. Injury to Pedal Cyclist	15	1	-	-	13	1	1	-	-	-	-	-	-	-	1	-	-	-
30. Collision with Animal-drawn Vehicle or Animal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31. Collision with Fixed Object	36	13	-	-	-	-	14	3	10	3	9	3	2	3	1	1	-	-
32. Noncollision	334	88	4	4	11	7	133	30	105	21	61	15	10	8	9	3	1	-
33. Other and Unspecified Accident	32	11	1	1	3	2	9	3	7	-	6	3	2	2	4	-	-	-
34. PUBLIC NON-MOTOR-VEHICLE TOTAL (Priority given to Items 35 to 39)	381	189	15	10	27	11	57	7	73	16	96	24	47	23	64	97	2	1
35. Railroad - Not with Motor Vehicle	20	6	-	-	1	2	2	-	3	-	10	3	3	-	1	1	-	-
36. Street Car - Not with Motor Vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37. Other Vehicle - Not with Motor Vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38. Water Transportation	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
39. Air Transportation	17	3	1	-	-	-	-	-	12	3	3	-	-	-	-	-	1	-
40. Fire, Explosion of Combustible Material	16	3	-	-	-	-	2	1	5	-	4	2	2	-	3	-	-	-
41. Hot Substance, Corrosive Liquid, Steam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42. Drowning	95	11	5	1	18	6	33	1	16	1	18	1	3	-	1	-	1	1
43. Firearms	16	1	-	-	1	-	6	-	6	1	2	-	1	-	-	-	-	-
44. Falls on Same Level	24	27	-	-	-	1	-	-	1	1	8	-	5	7	10	18	-	-
45. Falls to Different Level or Unspecified	70	80	-	-	2	1	1	-	5	1	11	3	14	9	37	66	-	-
46. Other Specified Public Accidents	108	56	8	9	4	1	13	5	20	8	35	15	17	7	11	11	-	-
47. Unspecified Public Accidents	12	2	1	-	1	-	-	-	2	1	5	-	2	-	1	1	-	-
48. Type of Accident Unknown	12	2	1	-	-	1	-	-	3	-	2	-	3	1	3	-	-	-

DEATHS, INFANT DEATHS, MATERNAL DEATHS

TABLE 8. TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI: 1964

Rank	Cause of Death	Total	Rates	White	Non-white
1.	Heart Disease (410-443)	19,270	432.5	17,785	1,485
2.	Malignant Neoplasms (140-205)	7,746	173.9	7,038	708
3.	Vascular Lesions*(330-334)	6,133	137.7	5,522	611
4.	Accidents (800-962)	2,817	63.2	2,516	301
5.	Malformations and Diseases of Early Infancy (750-776)	1,790	40.2	1,384	406
6.	Diseases of Digestive System (530-587)	1,758	39.5	1,573	185
7.	Pneumonia (490-493)	1,695	38.0	1,402	293
8.	Arteriosclerosis (450)	1,252	28.1	1,129	123
9.	Diabetes Mellitus (260)	785	17.6	688	97
10.	Suicides (970-979)	554	12.4	531	23
	Totals	43,800		39,568	4,232

Total Resident Deaths - 49,617

Estimated Population July 1, 1964 - 4,455,139

TABLE 9. RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI: 1964

Cause of Death	Number			Rates		
	Total	White	Nonwhite	Total	White	Nonwhite
All Puerperal Causes (640-689)	36	20	16	4.1	2.6	12.6
Abortion with Infection (651)	4	1	3	0.5	0.1	2.4
Abortion without Infection (650, 652)	3	-	3	0.3	-	2.4
Puerperal Hemmorage (643, 648, 670, 671, 672, 687)	12	7	5	1.4	0.9	3.9
Puerperal Infection (640, 641, 645, 1,680, 681)	1	1	-	0.1	0.1	-
Toxemias of Pregnancy (642, 685, 686)	9	5	4	1.0	0.7	3.1
Other Accidents of Childbirth (673-678)	2	2	-	0.2	0.3	-
Other Puerperal Causes	5	4	1	0.6	0.5	0.8

Death rates are per 100,000 population. Maternal death rates are per 10,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Classification of Causes of Death, 1955.

*Vascular lesions affecting central nervous system.

TABLE 10. RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR AND BY SELECTED CAUSES OF DEATH, MISSOURI: 1964

	All Ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and Over	Unk.
TOTAL DEATHS	49,617	2,151	337	189	173	405	382	347	413	663	1,020	1,457	2,245	3,150	4,129	5,194	6,449	7,070	6,620	4,518	2,075	596	34
Male	27,600	1,199	194	114	114	274	279	232	248	391	613	902	1,458	2,069	2,669	3,185	3,747	3,764	3,141	1,982	794	213	20
Female	22,014	950	143	75	59	131	103	115	165	271	407	555	787	1,081	1,462	2,009	2,702	3,306	3,479	2,536	1,281	383	14
Unknown	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL WHITE	44,529	1,601	254	152	151	360	320	274	314	503	815	1,235	1,864	2,731	3,554	4,635	5,859	6,634	6,343	4,348	1,996	565	21
Male	24,841	909	147	94	100	249	236	183	188	303	498	783	1,242	1,852	2,360	2,860	3,427	3,536	2,996	1,910	762	196	10
Female	19,685	690	107	58	51	111	84	91	126	199	317	452	622	879	1,194	1,775	2,432	3,098	3,347	2,438	1,234	369	11
Unknown	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL NONWHITE	5,088	550	83	37	22	45	62	73	99	160	205	222	381	419	575	559	590	436	277	170	79	31	13
Male	2,759	290	47	20	14	25	43	49	60	88	115	119	216	217	307	325	320	228	145	72	32	17	10
Female	2,329	260	36	17	8	20	19	24	39	72	90	103	165	202	268	234	270	208	132	98	47	14	3
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES OF DEATH																							
Tuberculosis of respiratory system (001-008)	185	-	1	-	-	-	1	2	2	11	8	14	17	18	16	18	28	23	18	6	2	-	-
Tuberculosis, other forms (010-019)	15	-	-	-	-	-	-	1	-	1	2	2	1	3	1	1	1	1	-	1	-	-	-
Syphilis, under 1 year (020-029)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis, age 1 year and over (020-029)	79	-	-	-	-	-	-	1	1	-	2	-	7	9	13	9	15	10	9	2	1	-	-
Typhoid fever (040)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid fever (041)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever (044)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacillary dysentery (045)	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
Amebic dysentery (046)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified dysentery (047-048)	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Scarlet fever and streptococcal sore throat (050-051)	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
Diphtheria (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (056)	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections (057)	18	4	6	1	1	3	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tularemia (059)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus (061)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (080)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute infectious encephalitis (082)	9	1	2	1	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-
Measles (085)	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis (092)	10	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	-	1	-	-	-	-	-
Rabies (094)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever (104)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus & other rickettsial diseases (100-103; 105-108)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious & parasitic diseases (030-138, exc. above)	79	11	2	-	-	-	1	1	-	2	2	2	4	7	6	10	11	7	6	2	4	1	-
Malignant neoplasms (140-205)	7,746	4	29	29	25	31	28	45	55	107	220	367	555	771	1,000	1,138	1,072	1,033	710	377	119	30	1
Benign and unspecified neoplasms (210-239)	122	4	8	3	1	-	-	2	3	2	8	7	7	12	13	10	15	14	5	6	2	-	-
Diabetes mellitus (260)	785	-	-	-	1	3	1	4	3	6	21	14	33	65	103	111	139	136	93	39	9	3	1
Anemias (290-293)	90	-	1	2	-	1	1	-	1	2	1	4	3	3	5	8	10	18	12	13	4	1	-
Vascular lesions affecting central nervous sys (330-334)	6,133	12	4	3	1	6	9	5	21	32	52	72	162	230	363	575	857	1,097	1,267	891	367	103	4
Nonmeningococcal meningitis (340)	62	17	8	-	-	1	-	1	2	-	2	4	6	5	4	5	4	1	2	-	-	-	-
Rheumatic fever (400-402)	15	-	1	-	-	-	1	1	-	-	3	-	-	-	2	2	4	-	-	-	1	-	-
Chronic rheumatic heart disease (410-416)	355	-	-	1	-	6	7	6	7	13	23	33	46	47	49	35	27	27	13	10	4	1	-
Arteriosclerotic & degenerative heart disease (420-422)	16,596	2	-	-	-	3	5	12	27	73	222	370	651	1,049	1,437	1,909	2,541	2,795	2,642	1,765	845	238	10
Other diseases of heart (430-434)	897	4	2	3	-	3	3	5	7	14	17	29	39	50	87	94	128	133	120	97	48	12	2
Hypertension with heart disease (440-443)	1,422	-	-	-	-	-	-	2	2	11	9	18	41	80	102	142	214	274	245	188	79	15	-
Hypertension w/o mention of heart (444-447)	391	-	-	-	-	-	-	2	5	10	11	6	16	15	24	35	51	65	69	54	23	5	-
Other diseases of circulatory system (450-468)	1,941	2	-	2	-	1	2	3	5	7	16	31	54	77	115	180	247	333	311	300	185	69	1
Influenza (480-483)	65	2	-	-	-	-	1	-	-	-	-	3	1	2	1	5	4	8	15	12	8	3	-
Lobar pneumonia 4 weeks (490)	277	9	8	-	-	-	3	3	5	6	8	20	20	15	13	17	26	27	39	36	17	5	-
Bronchopneumonia 4 weeks (491)	825	79	13	3	1	3	1	4	4	10	8	11	17	31	36	52	106	116	133	112	67	17	1
Pneumonia, other forms 4 weeks (492-493)	593	83	21	7	2	3	6	2	6	8	5	7	10	17	21	43	56	79	83	74	39	20	1
Bronchitis (500-502)	134	15	4	1	-	-	-	-	-	-	2	3	2	4	15	24	24	17	12	7	4	-	-
Gastro Enteritis and colitis, 4 weeks-2 years (571.0)	39	31	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastro Enteritis and colitis, 2 years (571.1)	45	-	4	1	1	-	-	-	-	2	5	-	-	1	4	2	5	6	7	5	1	1	-
Cirrhosis of liver (581)	478	-	1	-	1	-	-	3	6	27	21	58	70	83	55	49	49	25	15	12	3	-	-
Other diseases of digestive sys (590-587 excl. above)	1,196	25	7	7	-	6	7	4	9	18	33	36	55	80	85	130	178	171	188	113	36	6	2
Nephritis and nephrosis (590-594)	435	2	3	4	3	3	6	7	6	15	26	15	21	23	36	38	45	58	57	39	18	9	1
Complications of pregnancy & puerperium (640-652; 660-689)	36	-	-	-	1	3	5	9	4	11	3	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations (750-759)	455	307	40	14	13	14	4	1	7	6	5	10	5	14	4	5	1	2	3	-	-	-	-
Birth injuries, asphyxia (under 4 weeks) (760-762)	545	545	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia of newborn (under 4 weeks) (763)	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea of newborn (under 4 weeks) (764)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn (under 4 weeks) (765-768)	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of early infancy (under 4 weeks) (769-776)	705	705	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senility, ill defined and unknown causes (780-795)	882	32	5	-	2	7	7	7	4	11	29	36	49	75	88	75	87	114	102	77	48	24	3
All other diseases (residual)	2,225	81	33	23	17	23	25	17	31	39	61	83	112	155	220	279	290	257	241	161	63	14	-
Motor vehicle accidents (810-835)	1,288	14	39	42	40	188	161	105	77	77	71	58	77	66	71	60	52	46	31	7	3	1	2
All other accidents (800-802; 840-962)	1,529	66	81	40	55	64	43	43	40	55	52	78	80	65	86	83	116	139	152	102	73	14	2
Suicide and self-inflicted injury (970-979)	554	-	-	-	3	16	21	16	41	51	50	47	67	60	42	40	42	30	15	8	2	2	1
Homicide (980-985)	254	3	3	1	3	17	3																

TABLE 11. RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1964

Counties and Cities	Population	RESIDENT				RECORDED		RESIDENT				RECORDED	
		Deaths	Number		Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths
			Infant Deaths	Maternal Deaths									
State Total	4,455,139	49,617	2,151	36	50,271	2,224	39	11.1	24.4	4.1	11.3	24.5	4.3
Cities over 10,000		25,396	1,285	22	31,981	1,734	33						
Rural		24,221	866	14	18,290	490	6						
Counties incl. Cities over 10,000:													
Adair	19,690	259	10	-	424	18	-	13.2	23.6	-	21.5	24.7	-
Andrew	10,505	134	4	-	67	-	-	12.8	20.9	-	6.4	-	-
Atchison	8,188	127	1	-	137	1	-	15.5	6.6	-	16.7	4.4	-
Audrain	25,968	296	9	-	336	7	-	11.4	17.3	-	12.9	10.7	-
Barry	17,226	273	4	-	255	2	-	15.8	13.8	-	14.8	4.6	-
Barton	10,038	173	2	-	139	2	-	17.2	13.0	-	13.8	11.2	-
Bates	14,688	264	3	-	215	1	-	18.0	13.5	-	14.6	5.0	-
Benton	8,214	157	5	-	88	1	-	19.1	35.2	-	10.7	22.2	-
Bollinger	8,226	102	4	-	72	1	-	12.4	26.5	-	8.8	17.5	-
Boone	57,712	500	31	-	878	73	-	8.7	21.1	-	15.2	35.7	-
Buchanan	85,773	1,246	52	1	1,494	59	1	14.5	29.3	5.6	17.4	26.7	4.5
Butler	32,067	429	18	-	729	31	-	13.4	28.3	-	22.7	30.8	-
Caldwell	8,037	170	2	-	89	-	-	21.2	18.3	-	11.1	-	-
Callaway	23,291	229	11	-	357	3	-	9.8	27.6	-	15.3	12.7	-
Camden	9,311	131	1	-	72	-	-	14.1	7.0	-	7.7	-	-
Cape Girardeau	41,938	436	21	-	587	37	-	10.4	26.6	-	14.0	28.5	-
Carroll	12,678	186	6	-	147	6	-	14.7	30.0	-	11.6	35.7	-
Carter	3,561	51	-	-	26	-	-	14.3	-	-	7.3	-	-
Cass	35,742	295	21	-	238	12	-	8.3	33.4	-	6.7	17.1	-
Cedar	8,423	141	2	-	119	2	-	16.7	13.6	-	14.1	11.0	-
Chariton	11,438	194	6	-	88	3	-	17.0	33.3	-	7.7	600.0	-
Christian	11,881	150	11	-	75	-	-	12.6	52.9	-	6.3	-	-
Clark	8,368	103	1	-	55	1	-	12.3	6.3	-	6.6	250.0	-
Clay	119,575	639	44	-	646	28	-	5.3	21.4	-	5.4	18.4	-
Clinton	11,120	167	4	-	183	4	-	15.0	21.9	-	16.5	18.3	-
Cole	41,852	387	15	-	556	25	1	9.2	18.8	-	13.3	17.5	7.0
Cooper	14,456	214	5	-	186	2	-	14.8	19.5	-	12.9	9.3	-
Crawford	12,629	173	6	-	154	4	-	13.7	24.3	-	12.2	11.2	-
Dade	6,724	97	-	-	89	-	-	14.4	-	-	13.2	-	-
Dallas	8,497	119	-	-	60	-	-	14.0	-	-	7.1	-	-
Daviess	8,473	154	3	-	112	1	-	18.2	24.2	-	13.2	18.5	-
DeKalb	6,620	89	-	-	53	-	-	13.4	-	-	8.0	-	-
Dent	9,779	135	3	-	97	1	-	13.8	17.9	-	9.9	8.1	-
Douglas	8,376	109	4	-	53	2	-	13.0	30.5	-	6.3	48.8	-
Dunklin	35,458	448	19	-	392	21	-	12.6	24.5	-	11.1	22.5	-
Franklin	47,622	498	19	-	403	16	-	10.5	16.8	-	8.5	15.3	-
Gasconade	11,674	148	1	-	97	-	-	12.7	5.8	-	8.3	-	-
Gentry	7,754	140	-	-	106	-	-	18.1	-	-	13.7	-	-
Greene	132,269	1,421	62	-	1,890	99	-	10.7	24.8	-	14.3	29.2	-
Grundy	11,262	238	6	1	232	6	1	21.1	33.3	55.6	20.6	31.9	53.2
Harrison	10,231	173	2	-	164	2	-	16.9	13.2	-	16.0	12.8	-
Henry	18,204	318	5	-	331	6	-	17.5	16.3	-	18.2	15.0	-
Hickory	4,006	64	2	-	28	1	-	16.0	58.8	-	7.0	76.9	-
Holt	6,856	103	1	-	48	-	-	15.0	10.6	-	7.0	-	-
Howard	10,190	145	5	-	126	4	-	14.2	29.4	-	12.4	34.5	-
Howell	20,895	271	3	-	293	5	-	13.0	8.1	-	14.0	10.4	-
Iron	7,199	128	7	-	152	9	-	17.8	46.4	-	21.1	44.6	-
Jackson	638,281	6,910	372	4	7,618	434	5	10.8	26.8	2.9	11.9	26.8	3.1
Jasper	75,682	1,063	28	-	1,026	28	1	14.0	19.0	-	13.6	17.5	6.2
Jefferson	85,844	585	33	1	495	14	1	6.8	17.4	5.3	5.8	20.0	14.3
Johnson	33,154	264	11	-	221	12	-	8.0	22.4	-	6.7	16.9	-
Knox	5,964	100	1	-	54	-	-	16.8	8.6	-	9.1	-	-
Laclede	18,275	204	10	-	209	6	-	11.2	29.1	-	11.4	16.4	-
Lafayette	24,315	331	8	-	244	4	-	13.6	20.4	-	10.0	14.1	-
Lawrence	22,422	320	7	-	355	4	-	14.3	16.9	-	15.8	14.1	-
Lewis	10,813	147	5	-	84	-	-	13.6	27.8	-	7.8	-	-
Lincoln	14,958	201	5	1	207	5	1	13.4	17.7	35.5	13.8	10.4	20.7
Linn	15,253	296	3	-	299	2	-	19.4	17.2	-	19.6	8.3	-
Livingston	14,883	240	10	-	271	11	-	16.1	36.1	-	18.2	29.5	-
McDonald	10,578	171	9	-	75	2	-	16.2	46.2	-	7.1	2000.0	-
Macon	15,204	242	4	-	191	1	-	15.9	19.6	-	12.6	5.4	-
Madison	8,492	138	4	-	129	6	-	16.3	26.8	-	15.2	24.9	-
Maries	6,910	88	4	-	38	1	-	12.7	36.0	-	5.5	-	-
Marion	28,293	403	13	-	499	16	-	14.2	23.6	-	17.6	18.6	-
Mercer	5,002	88	2	-	78	2	-	17.6	39.2	-	15.6	36.4	-

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 11 (CONTINUED). RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1964

Counties and Cities	RESIDENT					RECORDED		RESIDENT					RECORDED	
	Population	Deaths	Number			Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Rates		Infant Deaths	Maternal Deaths	
			Infant Deaths	Maternal Deaths	Deaths					Maternal Deaths	Deaths			
Miller	13,347	187	3	-	147	2	-	14.0	11.6	-	11.0	10.6	-	
Mississippi	19,202	233	22	1	133	9	-	12.1	41.1	18.7	6.9	24.7	-	
Moniteau	10,000	150	1	1	96	-	-	15.0	5.4	54.3	9.6	-	-	
Monroe	10,150	162	1	-	86	-	-	16.0	7.3	-	8.5	-	-	
Montgomery	10,854	207	2	-	96	-	-	19.1	10.1	-	8.8	-	-	
Morgan	8,832	132	2	-	101	1	-	14.9	16.3	-	11.4	1000.0	-	
New Madrid	27,719	282	32	-	181	23	-	10.2	46.8	-	6.5	88.1	-	
Newton	29,794	363	8	-	372	10	-	12.2	15.5	-	12.5	18.7	-	
Nodaway	20,660	259	12	-	246	10	-	12.5	30.0	-	11.9	24.8	-	
Oregon	8,737	105	3	-	55	1	-	12.0	21.4	-	6.3	8.8	-	
Osage	10,356	112	5	-	37	-	-	10.8	22.4	-	3.6	-	-	
Ozark	5,769	71	3	-	43	-	-	12.3	35.3	-	7.5	-	-	
Pemiscot	34,487	430	41	-	376	40	-	12.5	45.5	-	10.9	42.0	-	
Perry	13,887	152	2	-	180	4	-	10.9	6.7	-	13.0	7.4	-	
Pettis	35,654	432	15	-	437	13	-	12.1	24.5	-	12.3	17.5	-	
Phelps	26,301	301	15	-	348	13	-	11.4	29.0	-	13.2	21.3	-	
Pike	16,096	234	7	1	226	1	1	14.5	21.5	30.8	14.0	3.3	32.8	
Platte	28,241	216	14	-	73	3	-	7.6	27.2	-	2.6	600.0	-	
Polk	12,395	226	5	-	170	4	-	18.2	30.9	-	13.7	50.0	-	
Pulaski	45,833	177	21	1	193	20	1	3.9	43.8	20.8	4.2	19.3	9.7	
Putnam	6,047	108	2	-	94	23	-	17.9	21.3	-	15.5	213.0	-	
Ralls	7,552	109	1	-	36	-	-	14.4	8.7	-	4.8	-	-	
Randolph	20,879	370	9	-	387	5	-	17.7	25.3	-	18.5	11.1	-	
Ray	15,721	215	4	-	188	-	-	13.7	15.7	-	12.0	-	-	
Reynolds	4,446	58	5	-	21	-	-	13.0	74.6	-	4.7	-	-	
Ripley	8,021	118	3	-	91	-	-	14.7	21.0	-	11.3	-	-	
St. Charles	70,321	424	32	4	414	25	2	6.0	17.4	21.7	5.9	16.4	13.1	
St. Clair	7,437	145	1	-	130	-	-	19.5	8.5	-	17.5	-	-	
St. Francois	35,221	479	13	-	515	-	-	13.6	19.9	-	14.6	-	-	
Ste. Genevieve	11,949	127	3	-	55	-	-	10.6	11.2	-	4.6	-	-	
St. Louis County	888,060	5,791	277	6	4,421	186	5	6.5	17.3	3.7	5.0	18.4	5.0	
Saline	23,734	338	6	-	331	-	-	14.2	14.8	-	13.9	-	-	
Schuyler	4,600	85	2	-	42	-	-	18.5	27.0	-	9.1	-	-	
Scotland	5,938	104	1	-	52	-	-	17.5	10.1	-	8.8	-	-	
Scott	31,623	359	32	1	346	32	2	11.4	39.8	12.4	10.9	40.9	25.5	
Shannon	6,495	81	3	-	42	1	-	12.5	20.8	-	6.5	28.6	-	
Shelby	8,451	145	1	-	91	1	-	17.2	7.4	-	10.8	250.0	-	
Stoddard	27,019	331	14	-	193	3	-	12.3	27.7	-	7.1	6.6	-	
Stone	7,481	89	2	-	39	-	-	11.9	14.2	-	5.2	-	-	
Sullivan	7,620	161	2	-	132	1	-	21.1	22.0	-	17.3	10.8	-	
Taney	9,995	132	4	-	138	4	-	13.2	25.2	-	13.8	18.4	-	
Texas	16,625	215	6	-	203	7	-	12.9	19.0	-	12.2	15.1	-	
Vernon	19,073	279	7	-	468	7	-	14.6	28.0	-	24.5	30.8	-	
Warren	9,047	93	-	1	84	-	-	10.3	-	59.9	9.3	-	-	
Washington	13,618	161	9	-	118	7	-	11.8	27.9	-	8.7	31.0	-	
Wayne	7,700	142	5	-	47	2	-	18.4	27.3	-	6.1	2000.0	-	
Webster	12,837	170	6	-	105	4	-	13.2	22.6	-	8.2	22.6	-	
Worth	3,416	68	1	-	39	-	-	19.9	16.1	-	11.4	-	-	
Wright	12,975	172	5	-	131	4	-	13.3	22.4	-	10.1	35.1	-	
Cities over 10,000														
Bellefontaine Neighbors	-	86	-	-	36	-	-	-	-	-	-	-	-	
Berkeley	-	84	4	-	33	-	-	-	-	-	-	-	-	
Brentwood	-	79	2	-	19	-	-	-	-	-	-	-	-	
Cape Girardeau City	-	255	15	-	503	36	-	-	-	-	-	-	-	
Carthage	-	184	4	-	238	4	-	-	-	-	-	-	-	
Clayton	-	196	5	1	1,067	38	2	-	-	-	-	-	-	
Columbia	-	283	23	-	764	73	-	-	-	-	-	-	-	
Crestwood	-	57	4	-	11	-	-	-	-	-	-	-	-	
Ferguson	-	158	6	-	51	-	-	-	-	-	-	-	-	
Florissant	-	227	24	1	60	-	-	-	-	-	-	-	-	
Fulton	-	90	5	-	289	3	-	-	-	-	-	-	-	
Gladstone	-	30	1	-	10	-	-	-	-	-	-	-	-	
Hannibal	-	299	9	-	450	15	-	-	-	-	-	-	-	
Independence	-	698	33	-	559	26	-	-	-	-	-	-	-	
Jefferson City	-	279	13	-	502	24	1	-	-	-	-	-	-	
Jennings	-	198	2	-	47	-	-	-	-	-	-	-	-	
Joplin	-	523	15	-	589	24	1	-	-	-	-	-	-	
Kansas City	-	5,984	330	4	6,972	407	5	-	-	-	-	-	-	
Kirksville	-	161	9	-	390	18	-	-	-	-	-	-	-	
Kirkwood	-	276	11	-	388	19	-	-	-	-	-	-	-	

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 11 (CONTINUED). RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1964

Counties and Cities	Population	Deaths	RESIDENT			RECORDED			RESIDENT			RECORDED		
			Infant Deaths	Maternal Deaths	Number Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Rates		Infant Deaths	Maternal Deaths
											Deaths	Deaths		
Maplewood	-	146	10	-	32	-	-	-	-	-	-	-	-	-
Mexico	-	155	7	-	272	6	-	-	-	-	-	-	-	-
Moberly	-	229	6	-	311	5	-	-	-	-	-	-	-	-
Overland	-	245	16	-	82	-	-	-	-	-	-	-	-	-
Poplar Bluff	-	266	11	-	644	29	-	-	-	-	-	-	-	-
Raytown	-	131	11	-	38	-	-	-	-	-	-	-	-	-
Richmond Heights	-	185	11	-	469	57	2	-	-	-	-	-	-	-
Rolla	-	96	9	-	249	12	-	-	-	-	-	-	-	-
St. Ann	-	96	6	-	22	-	-	-	-	-	-	-	-	-
St. Charles	-	222	22	3	341	25	2	-	-	-	-	-	-	-
St. Joseph	-	1,116	45	-	1,441	57	1	-	-	-	-	-	-	-
St. Louis City	683,917	9,902	511	12	12,491	714	17	14.5	31.9	7.5	18.3	29.9	7.1	-
Sedalia	-	313	14	-	387	13	-	-	-	-	-	-	-	-
Sikeston	-	151	14	-	271	30	2	-	-	-	-	-	-	-
Springfield	-	1,148	57	-	1,788	98	-	-	-	-	-	-	-	-
University City	-	582	14	1	95	1	-	-	-	-	-	-	-	-
Webster Groves	-	266	6	-	70	-	-	-	-	-	-	-	-	-
Incl. in above Cities														
Hannibal-Ralls	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Joplin-Newton	-	29	-	-	75	3	-	-	-	-	-	-	-	-
Kansas City-Clay	-	213	15	-	78	1	-	-	-	-	-	-	-	-
Sikeston-New Madrid	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Kansas City-Platte	-	38	4	-	9	-	-	-	-	-	-	-	-	-

TABLE 12. RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI: 1964

Cause	Color	Number	Rate	Under 1 Hour	Over 1 Hour	Over 1 Day	Over 7 Days	Over 28 Days	Over 3 Mos.	Over 6 Mos.	Age Un-known but Under 1 Year
					Under 1 Day	Under 7 Days	Under 28 Days	Under 3 Mos.	Under 6 Mos.	Under 1 Year	
All Causes	White	1,601	21.2	117	547	425	113	152	127	115	5
	Nonwhite	550	43.2	21	196	107	47	77	61	39	2
	Total	2,151	24.4	138	743	532	160	229	188	154	7
Infectious Diseases (020-138)	White	17	0.2	-	-	2	1	3	4	7	-
	Nonwhite	5	0.4	-	-	-	-	2	1	2	-
	Total	22	0.2	-	-	2	1	5	5	9	-
Respiratory Diseases (001-019, 470-527)	White	137	1.8	-	4	-	1	58	43	31	-
	Nonwhite	90	7.1	-	-	-	1	38	32	19	-
	Total	227	2.6	-	4	-	2	96	75	50	-
Gastro-Intestinal Diseases (543-545, 571-572)	White	18	0.2	-	-	-	-	4	4	10	-
	Nonwhite	13	1.0	-	-	-	-	5	6	2	-
	Total	31	0.4	-	-	-	-	9	10	12	-
Malformations (750-759)	White	271	3.4	19	49	74	42	45	27	15	-
	Nonwhite	36	2.8	2	6	8	5	7	3	5	-
	Total	307	3.5	21	55	82	47	52	30	20	-
Injury at Birth (760-761)	White	141	1.9	22	74	43	2	-	-	-	-
	Nonwhite	19	1.5	1	11	5	2	-	-	-	-
	Total	160	1.8	23	85	48	4	-	-	-	-
Other Diseases of Early Infancy (762-773)	White	627	8.3	44	285	242	40	5	5	4	2
	Nonwhite	202	15.9	7	89	59	28	6	9	3	1
	Total	829	9.4	51	374	301	68	11	14	7	3
Premature Birth (774-776)	White	213	2.8	27	122	50	12	1	1	-	-
	Nonwhite	133	10.4	11	85	31	5	1	-	-	-
	Total	346	3.9	38	207	81	17	2	1	-	-
All Other Causes	White	177	2.3	5	13	14	15	36	43	48	3
	Nonwhite	52	4.1	-	5	4	6	18	10	8	1
	Total	229	2.6	5	18	18	21	54	53	56	4

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Statistical Classification of Causes of Death, 1955.

TABLE 13. RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH
BY COLOR AND ATTENDANT AT BIRTH WITH RATES, STATE TOTAL AND
POPULATION GROUPS, MISSOURI: 1964

	STATE TOTAL		Under 2,500		2,500-5,000		5,000 - Less than 10,000		10,000 - Less than 15,000	
	Total	Rates	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1954	4,455,139									
TOTAL LIVE BIRTHS	88,335	19.8	75,602	12,733	28,220	595	4,696	236	6,931	555
Attended by M.D.	78,603		66,570	12,033	23,462	406	4,067	186	6,271	467
Attended by D.O.	9,276		8,875	401	4,650	122	619	28	651	60
Attended by midwives	339		77	262	54	60	8	19	2	20
Others or unspecified	117		80	37	54	7	2	3	7	8
TOTAL FETAL DEATHS	1,372		1,006	366	392	30	61	10	81	20
Attended by M.D.	1,220		886	334	336	26	52	9	70	16
Attended by D.O.	120		111	9	53	3	9	-	11	4
Attended by midwives	2		1	1	1	-	-	-	-	-
Others or unspecified	30		8	22	2	1	-	1	-	-
TOTAL DEATHS	49,617	11.1	44,529	5,088	17,079	428	2,970	148	3,357	239
Under one year of age	2,151		1,601	550						
Neonatal deaths	1,573		1,202	371						
Maternal deaths	36		20	16						
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	185	4.2	151	34	46	1	6	1	11	1
Tuberculosis, other forms (010-019)	15	0.3	7	8	3				1	1
Syphilis, under 1 year (020-029)	1	0.0	1							
Syphilis, age 1 year and over (020-029)	79	1.8	62	17	19	1	4		5	2
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)	5	0.1	3	2						
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)	2	0.0	1	1	1			1		
Scarlet fever and streptococcal sore throat (050-051)	6	0.1	6		2		2			1
Diphtheria (055)										
Whooping cough (056)	3	0.1	1	2	1			2		
Meningococcal infections (057)	18	0.4	17	1	4		2			2
Tularemia (059)										
Tetanus (061)	1	0.0	1						1	
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)	9	0.2	7	2	4		1			
Measles (085)	4	0.1	4					1		
Infectious hepatitis (092)	10	0.2	9	1	5					
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	79	1.8	70	9	24	1		6	1	3
Malignant neoplasms (140-205)	7,746	173.9	7,038	708	2,542	47	472	17	529	33
Benign and unspecified neoplasms (210-239)	122	2.7	107	15	34	1	11	2	9	2
Diabetes mellitus (260)	785	17.6	688	97	250	8	37	2	53	2
Anemias (290-293)	90	2.0	77	13	35		5		7	
Vascular lesions affecting central nervous system (330-334)	6,133	137.7	5,522	611	2,311	52	427	21	448	39
Nonmeningococcal meningitis (340)	62	1.4	39	23	14	1	2		1	1
Rheumatic fever (400-402)	15	0.3	13	2	7					1
Chronic rheumatic heart disease (410-416)	355	8.0	319	36	102	1	17	1	25	10
Arteriosclerotic and degenerative heart disease (420-422)	16,596	372.5	15,515	1,081	5,723	104	1,069	32	1,134	56
Other diseases of heart (430-434)	897	20.1	786	111	398	11	48	3	51	2
Hypertension with heart disease (440-443)	1,422	31.9	1,165	257	471	16	79	11	107	18
Hypertension w/o mention of heart (444-447)	391	8.8	318	73	129	7	18		20	2
Other diseases of circulatory system (450-468)	1,941	43.6	1,731	210	625	9	113	5	129	10
Influenza (480-483)	65	1.5	59	6	38		2		1	
Lobar pneumonia 4 weeks (490)	277	6.2	222	55	82	6	15		22	4
Bronchopneumonia 4 weeks (491)	825	18.5	696	129	256	14	38	1	54	7
Pneumonia, other forms 4 weeks (492-493)	593	13.3	484	109	211	21	34	5	37	3
Bronchitis (500-502)	134	3.0	123	11	48		4		10	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	39	0.9	25	14	11	2	2	1	2	
Gastro Enteritis and colitis, 2 years (571.1)	45	1.0	40	5	17		4		1	
Cirrhosis of liver (581)	478	10.7	413	65	113		18	3	26	
Other diseases of digestive system (530-587 excl. above)	1,196	26.8	1,095	101	412	8	51	5	78	3
Nephritis and nephrosis (590-594)	435	9.8	365	70	177	5	28	3	25	2
Complications of pregnancy and puerperium (640-652; 660-689)	36	0.8	20	16	6		2	1	3	1
Congenital malformations (750-759)	455	10.2	403	52	144	3	26	1	35	2
Birth injuries, asphyxia, (under 4 weeks) (760-762)	545	12.2	450	95	147	7	24		34	3
Pneumonia of newborn (under 4 weeks) (763)	69	1.5	44	25	13	6	2	1	2	
Diarrhea of newborn (under 4 weeks) (764)	3	0.1	2	1	2					
Other infections of newborn (under 4 weeks) (765-768)	13	0.3	10	3	4		1		1	
Other diseases of early infancy (under 4 weeks) (769-776)	705	15.8	475	230	146	13	27	4	53	5
Senility, ill defined and unknown causes (780-795)	882	19.8	798	84	369	22	50	11	64	9
All other diseases (residual)	2,225	49.9	1,977	248	746	17	144	6	159	7
Motor vehicle accidents (810-835)	1,288	28.9	1,191	97	598	11	66	1	87	5
All other accidents (800-802; 840-962)	1,529	34.3	1,325	204	543	22	78	5	95	12
Suicide and self-inflicted injury (970-979)	554	12.4	531	23	206	2	38	1	30	
Homicide (980-985)	254	5.7	123	131	40	9	3	1	4	

Death rates are per 1,000 population.

Maternal death rates are per 10,000 live births.

Infant deaths, neonatal deaths and fetal death rates are per 1,000 live births.

Rates for specific causes of death are per 100,000 population.

Numbers in parentheses refer to the code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 13 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH WITH RATES, STATE TOTAL AND POPULATION GROUPS, MISSOURI: 1964

	15,000 - Less than 25,000		25,000 - Less than 50,000		50,000 - Less than 75,000		75,000 - Less than 100,000		100,000 - Less than 500,000		500,000 & Over	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964												
TOTAL LIVE BIRTHS	4,959	201	4,548	240	2,779	17	3,213	118	8,139	3,080	8,941	7,053
Attended by M.D.	4,561	182	4,251	232	2,434	17	3,118	117	7,006	2,999	8,664	7,039
Attended by D.O.	388	7	296	8	345	-	95	-	1,129	78	266	-
Attended by midwives	6	11	-	-	-	-	-	-	3	1	1	2
Others or unspecified	4	1	1	-	-	-	-	1	1	2	10	12
TOTAL FETAL DEATHS	56	3	51	5	37	-	52	3	100	71	140	221
Attended by M.D.	48	3	44	4	35	-	49	3	87	70	135	200
Attended by D.O.	7	-	7	1	2	-	3	-	12	1	1	-
Attended by midwives	-	-	-	-	-	-	-	-	-	-	-	-
Others or unspecified	1	-	-	-	-	-	-	-	1	-	4	21
TOTAL DEATHS	2,444	118	1,746	108	1,261	19	2,170	94	4,833	1,141	7,218	2,684
Under one year of age												
Neonatal deaths												
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	6		6		4		6		25	13	39	17
Tuberculosis, other forms (010-019)									2	3	1	4
Syphilis, under 1 year (020-029)									1			
Syphilis, age 1 year and over (020-029)	2		3		3		7		9	2	7	12
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)									3	1		1
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)							1					
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1				1		3		1		3	1
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	1								1	1		1
Measles (085)							1		2			
Infectious hepatitis (092)							1		1	1	2	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	5	1	2		2		3		14	3	11	3
Malignant neoplasms (140-205)	410	16	283	19	235		385	10	763	151	1,203	395
Benign and unspecified neoplasms (210-239)	8		7		3		5		12	3	14	7
Diabetes mellitus (260)	43	3	26	2	16		31	4	73	20	139	55
Anemias (290-293)	1		3	1	1		3		10	1	7	11
Vascular lesions affecting central nervous system (330-334)	255	14	196	15	128	2	277	12	555	114	740	318
Nonmeningococcal meningitis (340)	1		4		2				8	8	5	12
Rheumatic fever (400-402)			1						4		1	1
Chronic rheumatic heart disease (410-416)	18		10		10	2	20		43	15	64	17
Arteriosclerotic and degenerative heart disease (420-422)	896	32	573	18	480	7	705	25	1,625	184	2,823	596
Other diseases of heart (430-434)	46	3	21		11	2	30	5	90	41	66	44
Hypertension with heart disease (440-443)	48	6	59	6	25		55	4	113	57	167	133
Hypertension w/o mention of heart (444-447)	20	1	12	1	11		15	3	33	11	50	48
Other diseases of circulatory system (450-468)	88	3	67	6	46	1	103	3	171	88	334	85
Influenza (480-483)	4		2				3		3	3	3	3
Lobar pneumonia 4 weeks (490)	12	3	9		4		10	1	20	8	42	30
Bronchopneumonia 4 weeks (491)	38	1	18	2	25	2	23	1	89	46	140	55
Pneumonia, other forms 4 weeks (492-493)	17	2	18	4	8		21	1	57	20	62	51
Bronchitis (500-502)	9		5	1	3		3		15	1	20	9
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								1	3	2	6	7
Gastro Enteritis and colitis, 2 years (571.1)	3		3		1		1		5	1	5	4
Cirrhosis of liver (581)	17	1	23	2	9		20	1	55	16	118	40
Other diseases of digestive system (530-587 excl. above)	55		44		41	2	44	1	151	35	188	45
Nephritis and nephrosis (590-594)	22	2	12	2	9		8		33	27	42	28
Complications of pregnancy and puerperium (640-652; 660-689)	4		1		1				2	2	1	11
Congenital malformations (750-759)	27	2	16	3	11		26		46	14	55	26
Birth injuries, asphyxia, (under 4 weeks) (760-762)	39	4	31		13		20	2	53	25	73	54
Pneumonia of newborn (under 4 weeks) (763)	3	1	4				1		6	5	6	11
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1								2			2
Other diseases of early infancy (under 4 weeks) (769-776)	37	2	24	4	13	1	33	3	58	60	61	136
Senility, ill defined and unknown causes (780-795)	50	3	47	5	21		88	4	47	11	39	17
All other diseases (residual)	105	8	77	7	49		88	3	248	58	289	139
Motor vehicle accidents (810-835)	59	1	56	3	33		43	4	115	19	76	52
All other accidents (800-802; 840-962)	61	6	53	5	28		60	6	160	29	211	113
Suicide and self-inflicted injury (970-979)	30	1	27	1	13		18		78	5	72	13
Homicide (980-985)	2	2	3	1	1		9		28	36	33	77

TABLE 14. ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY
AREAS INCLUDING CITIES, MISSOURI : 1964

	Adair		Andrew		Atchison		Audrain		Barry		Barton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	19,690		10,505		8,188		25,968		17,226		10,038	
TOTAL LIVE BIRTHS	421	2	190	1	151	-	471	49	289		154	
Attended by M.D.	112	-	165	1	151		363	44	227		147	
Attended by D.O.	309	2	25				107	3	61		7	
Attended by midwives												
Others or unspecified							1	2	1			
TOTAL FETAL DEATHS	3		2	1	3		7	1	5			
Attended by M.D.			2	1	3		7	1	5			
Attended by D.O.	3											
Attended by midwives									1			
Others or unspecified												
TOTAL DEATHS	257	2	134		127		268	28	273		173	
Under one year of age	10		4		1		8	1	4		2	
Neonatal deaths	7		4				6		3		2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2							1	1			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1		1				1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)									1			
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											
Malignant neoplasms (140-205)	36	1	31		22		41	10	43		25	
Benign and unspecified neoplasms (210-239)	1						2					
Diabetes mellitus (260)	1		1		1		11		3		4	
Anemias (290-293)	1		1				1		1			
Vascular lesions affecting central nervous system (330-334)	34		18		23		45	7	35		23	
Nonmeningococcal meningitis (340)									2			
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	3		1				2		1			
Arteriosclerotic and degenerative heart disease (420-422)	82		45		47		80	5	87		65	
Other diseases of heart (430-434)	11		5		1		7		12		2	
Hypertension with heart disease (440-443)	4	1	3		5		10	1	8		3	
Hypertension w/o mention of heart (444-447)					3		4				1	
Other diseases of circulatory system (450-468)	13		6		5		10		14		3	
Influenza (480-483)	2		1				1		1			
Lobar pneumonia 4 weeks (490)	2		1		1		1		1		1	
Bronchopneumonia 4 weeks (491)	2		3				1		6		1	
Pneumonia, other forms 4 weeks (492-493)	3		1		1		3	1	1		5	
Bronchitis (500-502)							1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)							2					
Other diseases of digestive system (530-587 exci. above)	9		3		2		6	1	7		4	
Nephritis and nephrosis (590-594)	2								5		4	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		3		1		2	1				
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		1				2		1			
Pneumonia of newborn (under 4 weeks) (763)	2											
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		2				2		2		2	
Senility, ill defined and unknown causes (780-795)	1						1		6		4	
All other diseases (residual)	19		3		5		12	1	11		9	
Motor vehicle accidents (810-835)	5				6		12		11		2	
All other accidents (800-802; 840-962)	12		4		3		5		10		7	
Suicide and self-inflicted injury (970-979)	1						4		2		6	
Homicide (980-985)											2	

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Bates		Benton		Bollinger		Boone		Buchanan		Butler	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	14,688		8,214		8,226		57,712		85,773		32,067	
TOTAL LIVE BIRTHS	216	6	142		151		1,349	120	1,711	66	574	62
Attended by M.D.	193	4	74		86		1,333	118	1,645	65	494	29
Attended by D.O.	23	2	68		65		16	1	66		66	8
Attended by midwives											10	24
Others or unspecified							1		1		4	1
TOTAL FETAL DEATHS	6		1		1		12	3	33	2	8	
Attended by M.D.	6						11	3	32	2	7	
Attended by D.O.			1		1		1		1		1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	261	3	157		102		459	41	1,198	48	389	40
Under one year of age	3		5		4		26	5	46	6	14	4
Neonatal deaths	3		1		4		20	3	29	3	11	3
Maternal deaths									1			
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1		1		2		1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1								6		2	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)									1			
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1						1		1	
Malignant neoplasms (140-205)	30		20		12		72	7	214	3	42	5
Benign and unspecified neoplasms (210-239)			1				1		4			
Diabetes mellitus (260)	4	1	1		4		1	1	16	1	2	
Anemias (290-293)	3						2		3			
Vascular lesions affecting central nervous system (330-334)	29		38		17		59	3	142	2	56	10
Nonmeningococcal meningitis (340)							3					
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	4						2		7		3	1
Arteriosclerotic and degenerative heart disease (420-422)	104	1	46		32		152	12	434	16	150	9
Other diseases of heart (430-434)	2		5		1		2	1	17	1	16	2
Hypertension with heart disease (440-443)	14		2				15	4	35	3	9	3
Hypertension w/o mention of heart (444-447)	6				4		6	1	17	3	2	1
Other diseases of circulatory system (450-468)	9		9		6		13	1	43	2	5	2
Influenza (480-483)			1				2		2			
Lobar pneumonia 4 weeks (490)			1				1		6		3	
Bronchopneumonia 4 weeks (491)	6		2		1		6	2	13	1	3	
Pneumonia, other forms 4 weeks (492-493)	2				1		7	2	6	1	7	
Bronchitis (500-502)	1		1		1		3		4			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										1		
Gastro Enteritis and colitis, 2 years (571.1)							1		1			
Cirrhosis of liver (581)	3		2		1		2	1	12		2	
Other diseases of digestive system (530-587 excl. above)	5	1	1		1		14		19		7	
Nephritis and nephrosis (590-594)	6						3		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)									1			
Congenital malformations (750-759)	2						4		17		4	2
Birth injuries, asphyxia, (under 4 weeks) (760-762)			1		3		5		10	1	4	2
Pneumonia of newborn (under 4 weeks) (763)							1		1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							1					
Other diseases of early infancy (under 4 weeks) (769-776)	1				1		10	3	12	2	4	
Senility, ill defined and unknown causes (780-795)	2		6						42	2	16	2
All other diseases (residual)	8		5		3		33	1	45	3	19	1
Motor vehicle accidents (810-835)	11		7		4		13		15	2	12	
All other accidents (800-802; 840-962)	4		6		8		12	1	39	4	11	
Suicide and self-inflicted injury (970-979)	3		1		1		12	1	6		4	
Homicide (980-985)									3		3	

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS,
AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY
AREAS INCLUDING CITIES. MISSOURI: 1964

	Caldwell		Callaway		Camden		Cape Girardeau		Carroll		Carter	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	8,037		23,291		9,311		41,938		12,678		3,561	
TOTAL LIVE BIRTHS	108	1	365	34	141	1	758	31	195	5	62	
Attended by M.D.	60		334	27	86	1	724	28	140	4	59	
Attended by D.O.	47		30	6	54	-	34	3	55	1	3	
Attended by midwives	1	1										
Others or unspecified			1	1	1							
TOTAL FETAL DEATHS	1		9		1		7	1		1	1	
Attended by M.D.	1		9		1		7	1		1		
Attended by D.O.											1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	170		214	15	131		418	18	184	2	51	
Under one year of age	2		11		1		20	1	6			
Neonatal deaths	1		7				14		6			
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)									1			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)									1			
Syphilis, age 1 year and over (020-029)			2									
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)			1									
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1				1		1					
Malignant neoplasms (140-205)	29		35	1	28		58	2	29		7	
Benign and unspecified neoplasms (210-239)			1						1			
Diabetes mellitus (260)	3		2		1		2	1			2	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	29		26	3	16		48	3	30		6	
Nonmeningococcal meningitis (340)			1									
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)					2				1		1	
Arteriosclerotic and degenerative heart disease (420-422)	54		73	4	38		174	4	53	1	19	
Other diseases of heart (430-434)	2				4		8	1	3			
Hypertension with heart disease (440-443)	3		7	1	13		15	1	5		1	
Hypertension w/o mention of heart (444-447)			5		1		8				1	
Other diseases of circulatory system (450-468)	3		12		2		14		7		4	
Influenza (480-483)	1											
Lobar pneumonia 4 weeks (490)				1	1		1		2		2	
Bronchopneumonia 4 weeks (491)	4		3				6		3			
Pneumonia, other forms 4 weeks (492-493)	2		4		1		1		1			
Bronchitis (500-502)	1				1		2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)									2			
Cirrhosis of liver (581)					1		1					
Other diseases of digestive system (530-587 excl. above)	6		2		4		12		5	1	1	
Nephritis and nephrosis (590-594)	1		2	1	1		5	1	2			
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)			5				5					
Birth injuries, asphyxia, (under 4 weeks) (760-762)			2				11		1			
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		4				2		4			
Senility, ill defined and unknown causes (780-795)	7		1				6		10			
All other diseases (residual)	11		12	2	9		17	1	10		2	
Motor vehicle accidents (810-835)	4		2	1	4		9		5		3	
All other accidents (800-802; 840-962)	4		5	1	3		11	4	5		2	
Suicide and self-inflicted injury (970-979)	4		6				1		3			
Homicide (980-985)			1									

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Cass		Cedar		Chariton		Christian		Clark		Clay	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	35,742		8,423		11,438		11,881		8,368		119,575	
TOTAL LIVE BIRTHS	627	2	147		163	17	208		159		2,045	12
Attended by M.D.	491	2	101		125	13	198		138		1,795	9
Attended by D.O.	136		46		38	3	9		21		249	3
Attended by midwives							1					
Others or unspecified					1						1	
TOTAL FETAL DEATHS	14		3		2		1		1		26	
Attended by M.D.	11		2		1		1				23	
Attended by D.O.	3		1		1				1		3	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	292	3	141		182	12	150		103		632	7
Under one year of age	21		2		4	2	11		1		44	
Neonatal deaths	18		2		2	1	7				33	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)							1					
Tuberculosis, other forms (010-019)	1											
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)							2					
Measles (085)											1	
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1						2	
Malignant neoplasms (140-205)	46	1	24		24	2	19		14		105	1
Benign and unspecified neoplasms (210-239)	1				1						1	
Diabetes mellitus (260)	5		4		4		1				14	
Anemias (290-293)	2										3	
Vascular lesions affecting central nervous system (330-334)	33		22		23	2	28		11		72	4
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)			3				2				7	
Arteriosclerotic and degenerative heart disease (420-422)	82	1	45		64		44		41		195	1
Other diseases of heart (430-434)	15		1		12	1			2		5	
Hypertension with heart disease (440-443)	7		4		5		1		3		10	1
Hypertension w/o mention of heart (444-447)	3		1		1		4				5	
Other diseases of circulatory system (450-468)	12		3		6	2	5		3		31	
Influenza (480-483)							1				1	
Lobar pneumonia 4 weeks (490)	1						2				1	
Bronchopneumonia 4 weeks (491)	3		3		2		1		2		4	
Pneumonia, other forms 4 weeks (492-493)	2		1		4				1		6	
Bronchitis (500-502)									1		4	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1						1				1	
Gastro Enteritis and colitis, 2 years (571.1)					1				1		1	
Cirrhosis of liver (581)	1		1		1		1		3		7	
Other diseases of digestive system (530-587 excl. above)	5		2		7	1	6		2		19	
Nephritis and nephrosis (590-594)	3		2		4						3	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	5						4				7	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2						4				15	
Pneumonia of newborn (under 4 weeks) (763)			1			1						
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1											
Other diseases of early infancy (under 4 weeks) (769-776)	10		1		1		2				15	
Senility, ill defined and unknown causes (780-795)	3		5		1	1	8		3		3	
All other diseases (residual)	17	1	7		5		4		5		23	
Motor vehicle accidents (810-835)	16		4		6		4		5		34	
All other accidents (800-802; 840-962)	12		4		8	2	2		5		24	
Suicide and self-inflicted injury (970-979)	3		2		1		3		1		9	
Homicide (980-985)			1								4	

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Clinton		Cole		Cooper		Crawford		Dade		Dallas	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	11,120		41,852		14,456		12,629		6,724		8,497	
TOTAL LIVE BIRTHS	176	7	772	26	239	18	247		104		99	
Attended by M.D.	136	3	645	20	222	18	201		81		72	
Attended by D.O.	40	4	126	6	16		44		23		23	
Attended by midwives												
Others or unspecified			1		1		2				4	
TOTAL FETAL DEATHS	2		8	1	2	1	4				2	
Attended by M.D.	2		6		2	1	4				2	
Attended by D.O.			2	1								
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	161	6	366	21	194	20	173		96	1	119	
Under one year of age	3	1	13	2	4	1	6					
Neonatal deaths	3	1	13	2	4		3					
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1				1							
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1									
Malignant neoplasms (140-205)	25	1	47	5	24	2	23		18	1	16	
Benign and unspecified neoplasms (210-239)	1						1				2	
Diabetes mellitus (260)	1		5		4		3				1	
Anemias (290-293)									1			
Vascular lesions affecting central nervous system (330-334)	22	1	39	2	26	2	23		13		17	
Nonmeningococcal meningitis (340)							1					
Rheumatic fever (400-402)					1							
Chronic rheumatic heart disease (410-416)			2		1		1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	66	2	137	3	87	6	56		38		46	
Other diseases of heart (430-434)	4		14		1	1	10		2		5	
Hypertension with heart disease (440-443)			11		7	2	4				2	
Hypertension w/o mention of heart (444-447)	4	1	6			2			1			
Other diseases of circulatory system (450-468)	3		13	2	13		6		2		5	
Influenza (480-483)												
Lobar pneumonia 4 weeks (490)			1			2	1					
Bronchopneumonia 4 weeks (491)	2		7	1	2	1	12		1		3	
Pneumonia, other forms 4 weeks (492-493)			3	2	1		7		1			
Bronchitis (500-502)			1		1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1					
Gastro Enteritis and colitis, 2 years (571.1)			1									
Cirrhosis of liver (581)	3		7				2					
Other diseases of digestive system (530-587 excl. above)	4		8		1		1		3		6	
Nephritis and nephrosis (590-594)	1		1	1	2		2		1		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		3	1			3					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		8		2		1					
Pneumonia of newborn (under 4 weeks) (763)			2									
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1	1	2	1	2							
Senility, ill defined and unknown causes (780-795)			7				1		3		4	
All other diseases (residual)	10		14	1	5		6		3		3	
Motor vehicle accidents (810-835)	4		8	2	6		3		4		3	
All other accidents (800-802; 840-962)	4		13		5	1	4		3		2	
Suicide and self-inflicted injury (970-979)	3		5		2		1		1		1	
Homicide (980-985)												

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES. MISSOURI: 1964

	Daviess		DeKalb		Dent		Douglas		Dunklin		Franklin	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	8,473		6,620		9,779		8,376		35,458		47,622	
TOTAL LIVE BIRTHS	124		80		168		131		737	37	1,115	15
Attended by M.D.	56		46		138		98		666	30	1,068	13
Attended by D.O.	68		34		23		23		68	5	47	2
Attended by midwives					7		1			2		
Others or unspecified							9		3			
TOTAL FETAL DEATHS	2				3		3		15		12	
Attended by M.D.	2				2		3		13		12	
Attended by D.O.					1				2			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	154		89		135		109		435	13	493	5
Under one year of age	3				3		4		15	4	19	
Neonatal deaths	2				2		2		10	2	13	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)									1		1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)					1							
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)											1	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1		1	
Malignant neoplasms (140-205)	27		13		19		15		66	1	83	
Benign and unspecified neoplasms (210-239)											1	
Diabetes mellitus (260)	4		2		4		1		6	1	5	1
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	17		16		22		21		52		58	2
Nonmeningococcal meningitis (340)											1	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2								3		2	
Arteriosclerotic and degenerative heart disease (420-422)	51		35		43		31		157	3	183	2
Other diseases of heart (430-434)	3				1		3		5		11	
Hypertension with heart disease (440-443)	8				3		6		13	1	10	
Hypertension w/o mention of heart (444-447)			1		1				2		1	
Other diseases of circulatory system (450-468)	6		1		4		4		19		16	
Influenza (480-483)	1						1					
Lobar pneumonia 4 weeks (490)	1		1						3		2	
Bronchopneumonia 4 weeks (491)			1		1					1	5	
Pneumonia, other forms 4 weeks (492-493)	3		2		2		4		6		6	
Bronchitis (500-502)			1				1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1			
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			2		1				4		4	
Other diseases of digestive system (530-587 excl. above)	4		4		3		3		8		18	
Nephritis and nephrosis (590-594)	1				1		1		7	1	4	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)			1						2	1	10	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)							2		4		6	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)											1	
Other diseases of early infancy (under 4 weeks) (769-776)	1				2				6	1	5	
Senility, ill defined and unknown causes (780-795)	7		1		8		3		6	1	7	
All other diseases (residual)	6		3		8		5		23	1	19	
Motor vehicle accidents (810-835)	8		2		3		4		16		16	
All other accidents (800-802; 840-962)	4		3		6		4		16	1	12	
Suicide and self-inflicted injury (970-979)					1				7		3	
Homicide (980-985)					1				1		1	

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Gasconade		Gentry		Greene		Grundy		Harrison		Henry	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	11,674		7,754		132,269		11,262		10,231		18,204	
TOTAL LIVE BIRTHS												
Attended by M.D.	173		133		2,452	52	180		152		300	6
Attended by D.O.	128		95		2,394	52	157		98		171	4
Attended by midwives	45		38		58		23		54		129	2
Others or unspecified												
TOTAL FETAL DEATHS	1		2		29	1	2	1			5	1
Attended by M.D.	1		2		26	1	1	1			3	
Attended by D.O.					3		1				2	1
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	148		140		1,373	48	238		173		312	6
Under one year of age	1				60	2	6		2		5	
Neonatal deaths					43	2	5		2		4	
Maternal deaths							1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1		4		1					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)					2							
Syphilis, age 1 year and over (020-029)	1											
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)					1							
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1				2							
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)					1							
Infectious Hepatitis (092)					1							
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1		4				1			
Malignant neoplasms (140-205)	24		18		227	7	37		30		36	2
Benign and unspecified neoplasms (210-239)					3						2	
Diabetes mellitus (260)	1				18	3	7				4	
Anemias (290-293)			1		2		1					
Vascular lesions affecting central nervous system (330-334)	20		24		209	11	33		23		53	1
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)					14				1		1	
Arteriosclerotic and degenerative heart disease (420-422)	55		49		409	9	67		59		117	1
Other diseases of heart (430-434)			8		23	4	3		4		9	
Hypertension with heart disease (440-443)	7		2		25	1	29		13		4	1
Hypertension w/o mention of heart (444-447)	2				2	1	2				4	
Other diseases of circulatory system (450-468)	7		5		75	1	6		7		10	
Influenza (480-483)					1		1				1	
Lobar pneumonia 4 weeks (490)					4	1	1				3	
Bronchopneumonia 4 weeks (491)					16		2				10	
Pneumonia, other forms 4 weeks (492-493)	4		1		23		3		5		3	
Bronchitis (500-502)	1				1		1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)											1	
Cirrhosis of liver (581)	1				10	1	1					
Other diseases of digestive system (530-587 excl. above)	8		4		31	1	9				6	
Nephritis and nephrosis (590-594)	1		2		8		5		6		3	
Complications of pregnancy and puerperium (640-652; 660-689)							1					
Congenital malformations (750-759)					11		1				2	
Birth injuries, asphyxia, (under 4 weeks-) (760-762)					13	1	2		1		2	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)											1	
Other diseases of early infancy (under 4 weeks) (769-776)					21	1	3					
Senility, ill defined and unknown causes (780-795)			3		58	2	3		1		4	
All other diseases (residual)	6		6		57		7		12		8	
Motor vehicle accidents (810-835)	3		3		37	2	1		6		14	1
All other accidents (800-802; 840-962)	3		4		37	2	10		2		11	
Suicide and self-inflicted injury (970-979)	3		4		16		1		2		2	
Homicide (980-985)					7							

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Hickory		Holt		Howard		Howell		Iron		Jackson	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	4,006		6,856		10,190		20,895		7,199		638,281	
TOTAL LIVE BIRTHS	34		94		143	27	367	2	150	1	10,781	3,096
Attended by M.D.	19		87		133	27	329	2	143	1	9,264	3,015
Attended by D.O.	15		7		10		37		6		1,513	78
Attended by midwives									1		3	1
Others or unspecified							1				1	2
TOTAL FETAL DEATHS			2		3		5		2		118	71
Attended by M.D.			1		3		5		2		103	70
Attended by D.O.			1								14	1
Attended by midwives												
Others or unspecified											1	
TOTAL DEATHS	64		103		124	21	271		128		5,754	1,156
Under one year of age	2		1		4	1	3		7		239	133
Neonatal deaths	2				3	1	2		5		172	93
Maternal deaths											2	2
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1		1				29	13
Tuberculosis, other forms (010-019)											2	3
Syphilis, under 1 year (020-029)											1	
Syphilis, age 1 year and over (020-029)							1				13	2
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)											3	1
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)											2	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)							1				3	1
Measles (085)											2	
Infectious Hepatitis (092)											1	1
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							2				14	3
Malignant neoplasms (140-205)	7		17		16	1	36		19		895	152
Benign and unspecified neoplasms (210-239)	1		1						1		13	3
Diabetes mellitus (260)					2		4		2		86	20
Anemias (290-293)							1		1		9	1
Vascular lesions affecting central nervous system (330-334)	8		21		17	6	48		12		642	116
Nonmeningococcal meningitis (340)					1						9	8
Rheumatic fever (400-402)							1				4	
Chronic rheumatic heart disease (410-416)							1				53	17
Arteriosclerotic and degenerative heart disease (420-422)	20		37		38	8	97		37		2,012	188
Other diseases of heart (430-434)	3		4		3	1	5		1		101	42
Hypertension with heart disease (440-443)	3		2		7		5		4		125	57
Hypertension w/o mention of heart (444-447)							6				39	11
Other diseases of circulatory system (450-468)					9		13		10		198	89
Influenza (480-483)	3								1		3	3
Lobar pneumonia 4 weeks (490)					1						22	8
Bronchopneumonia 4 weeks (491)	2		3				1		2		109	48
Pneumonia, other forms 4 weeks (492-493)			1		1				4		66	20
Bronchitis (500-502)	2		1		2		2		1		16	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1		2	2
Gastro Enteritis and colitis, 2 years (571.1)											5	1
Cirrhosis of liver (581)			3		3		2		4		58	16
Other diseases of digestive system (530-587 excl. above)	2		2		2		4		4		178	36
Nephritis and nephrosis (590-594)	1				2	1					46	27
Complications of pregnancy and puerperium (640-652; 660-689)											2	2
Congenital malformations (750-759)	2		1		1				3		60	14
Birth injuries, asphyxia, (under 4 weeks.) (760-762)					1				1		60	25
Pneumonia of newborn (under 4 weeks) (763)									1		7	5
Diarrhea of newborn (under 4 weeks) (764)												1
Other infections of newborn (under 4 weeks) (765-768)							1				2	
Other diseases of early infancy (under 4 weeks) (769-776)					1	1	1		1		70	61
Senility, ill defined and unknown causes (780-795)	3		2		1		1		2		54	11
All other diseases (residual)	5		2		6	1	13		7		290	58
Motor vehicle accidents (810-835)	1		2		2		10		3		151	19
All other accidents (800-802; 840-962)	1		3		6	2	10		5		184	29
Suicide and self-inflicted injury (970-979)			1		1		3		1		89	5
Homicide (980-985)							1				24	36

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Jasper		Jefferson		Johnson		Knox		Laclede		Lafayette	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	75,682		85,844		33,154		5,964		18,275		24,315	
TOTAL LIVE BIRTHS	1,448	26	1,861	33	476	15	115	1	340	4	373	20
Attended by M.D.	1,194	24	1,751	31	432	15	44	1	322	4	296	15
Attended by D.O.	253	2	106	2	43		70		16		77	5
Attended by midwives			2									
Others or unspecified	1		2		1		1		2			
TOTAL FETAL DEATHS	23	1	23		4	1	1		5	1	5	
Attended by M.D.	15	1	23		4	1			5	1	5	
Attended by D.O.	8						1					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	1,047	16	578	7	248	16	99	1	201	3	312	19
Under one year of age	28		32	1	11		1		9	1	8	
Neonatal deaths	20		25		9		1		8	1	5	
Maternal deaths			1									
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	10		1						2			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	3		1									
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1						1			
Malignant neoplasms (140-205)	154	1	89	2	31	1	22		22		50	2
Benign and unspecified neoplasms (210-239)	2		3			1			1		1	
Diabetes mellitus (260)	17	2	10						6		6	1
Anemias (290-293)	5				1							
Vascular lesions affecting central nervous system (330-334)	116	1	63	2	47	3	8		21		34	5
Nonmeningococcal meningitis (340)	1				1							
Rheumatic fever (400-402)	1						1					
Chronic rheumatic heart disease (410-416)	7		2		2		1		3		4	
Arteriosclerotic and degenerative heart disease (420-422)	322		211	2	87	4	33		60	1	106	4
Other diseases of heart (430-434)	31		8		4		3		5		7	1
Hypertension with heart disease (440-443)	39	2	13		6	1	4		5	1	7	1
Hypertension w/o mention of heart (444-447)	6		6			1	2					
Other diseases of circulatory system (450-468)	37		18		10		7		7		10	
Influenza (480-483)	1											
Lobar pneumonia 4 weeks (490)	8	1	2		1				1		1	
Bronchopneumonia 4 weeks (491)	15		12		3		1		4		8	1
Pneumonia, other forms 4 weeks (492-493)	12		8	1	3	1	1		2		3	
Bronchitis (500-502)	3		2						1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1									
Gastro Enteritis and colitis, 2 years (571.1)			1						3			
Cirrhosis of liver (581)	12		1						2		3	1
Other diseases of digestive system (530-587 excl. above)	33		9		5		2		9		5	
Nephritis and nephrosis (590-594)	11	1	4		1	1			3		8	1
Complications of pregnancy and puerperium (640-652; 660-689)			1									
Congenital malformations (750-759)	8	1	11		1		3		4		3	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	8		12		4				3	1	3	
Pneumonia of newborn (under 4 weeks) (763)					1							
Diarrhea of newborn (under 4 weeks) (764)									1			
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	6		7		3				2		1	
Senility, ill defined and unknown causes (780-795)	39	2	3		1		1		8		1	
All other diseases (residual)	50	4	25		7		2	1	12		20	
Motor vehicle accidents (810-835)	46		24		18		3		9		10	
All other accidents (800-802; 840-962)	36	1	20		12	1	3		3		15	
Suicide and self-inflicted injury (970-979)	6		8				1		1		5	
Homicide (980-985)	1		1			1	1					1

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES. MISSOURI: 1964

	Lawrence		Lewis		Lincoln		Linn		Livingston		McDonald	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	22,422		10,813		14,958		15,253		14,883		10,578	
TOTAL LIVE BIRTHS	415		166	14	268	14	173	1	273	4	195	
Attended by M.D.	364		145	12	206	10	118	1	196	2	147	
Attended by D.O.	50		21	2	62	4	55	-	77	2	48	
Attended by midwives												
Others or unspecified	1											
TOTAL XXXXXXXXXX FETAL DEATHS	9		2	1	1		5		4		7	
Attended by M.D.	6		1	1	1		4		2		5	
Attended by D.O.	3		1				1		2		2	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	319	1	142	5	190	11	294	2	230	10	171	
Under one year of age	7		5		4	1	3		9	1	9	
Neonatal deaths	5		5		2		2		7		5	
Maternal deaths					1							
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	5						1		2		2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1								1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)									1			
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1					
Malignant neoplasms (140-205)	53	1	15		39		41		39		19	
Benign and unspecified neoplasms (210-239)							1			1		
Diabetes mellitus (260)	2		1		3		5		7		3	
Anemias (290-293)	2											
Vascular lesions affecting central nervous system (330-334)	50		32	1	31	5	44	1	31		31	
Nonmeningococcal meningitis (340)					1							
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1				1		1		3			
Arteriosclerotic and degenerative heart disease (420-422)	103		55	2	54	3	111		75	3	46	
Other diseases of heart (430-434)	9			1	2		5		6		7	
Hypertension with heart disease (440-443)	9		2		1		6		4		2	
Hypertension w/o mention of heart (444-447)	4		1		1		1		1		1	
Other diseases of circulatory system (450-468)	7		5		11		9		6	2	6	
Influenza (480-483)							1				1	
Lobar pneumonia 4 weeks (490)	2				2		1		2		1	
Bronchopneumonia 4 weeks (491)	7						4		6		4	
Pneumonia, other forms 4 weeks (492-493)	2		3		1		7		2	1	5	
Bronchitis (500-502)	1				1		1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1											
Gastro Enteritis and colitis, 2 years (571.1)	2											
Cirrhosis of liver (581)	5		1				3		3		1	
Other diseases of digestive system (530-587 excl. above)	4				5		12		3		2	
Nephritis and nephrosis (590-594)	4		1		1				2			
Complications of pregnancy and puerperium (640-652; 660-689)					1							
Congenital malformations (750-759)	1		1		1		1		4	1	1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			2		1	1			2		1	
Pneumonia of newborn (under 4 weeks) (763)					1							
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4		2				1		2		4	
Senility, ill defined and unknown causes (780-795)	10		2		6		2		3		9	
All other diseases (residual)	15		12		9	1	18	1	8		8	
Motor vehicle accidents (810-835)	7		3	1	5		5		2		10	
All other accidents (800-802; 840-962)	5		3		6		10		12	2	5	
Suicide and self-inflicted injury (970-979)	3		1		5		2		2		2	
Homicide (980-985)					1	1						

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Macon		Madison		Maries		Marion		Mercer		Miller	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	15,204		8,492		6,910		28,293		5,002		13,347	
TOTAL LIVE BIRTHS	199	5	149		111		509	41	51		258	
Attended by M.D.	96	1	144		57		506	41	24		78	
Attended by D.O.	103	4	5		54		3		27		180	
Attended by midwives												
Others or unspecified												
TOTAL FETAL DEATHS	6						3				2	
Attended by M.D.	3						3				1	
Attended by D.O.	3										1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	237	5	135	3	88		368	35	87	1	187	
Under one year of age	4		4		4		12	1	2		3	
Neonatal deaths	3		3		3		9	1	1		3	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1				1					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1											
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1	1				
Malignant neoplasms (140-205)	36		27	1	4		40	3	9		20	
Benign and unspecified neoplasms (210-239)							1				1	
Diabetes mellitus (260)	1		3		1		5		2		1	
Anemias (290-293)	3						1					
Vascular lesions affecting central nervous system (330-334)	42		26		13		63	5	7		34	
Nonmeningococcal meningitis (340)			1									
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2		1				4				1	
Arteriosclerotic and degenerative heart disease (420-422)	64	1	44	1	28		137	14	37	1	63	
Other diseases of heart (430-434)	4				2		6				7	
Hypertension with heart disease (440-443)	15		2		7		4	1	6		8	
Hypertension w/o mention of heart (444-447)	3		1		1		2				1	
Other diseases of circulatory system (450-468)	10	1	3		1		16	1	3		7	
Influenza (480-483)	1						1		1			
Loobar pneumonia 3 weeks (490)	1						2	2	1		3	
Bronchopneumonia 3 weeks (491)	1		3		1		7		1		2	
Pneumonia, other forms 4 weeks (492-493)	1		1		1		6	1			1	
Bronchitis (500-502)	1				1		3				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1					
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	2						2					
Other diseases of digestive system (530-587 excl. above)	5	1	2		3		7		1		8	
Nephritis and nephrosis (590-594)	3				1		3		2		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	2				1		3		1		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		1		2		4	1				
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		2				3				3	
Senility, ill defined and unknown causes (780-795)	8	1	4		9		3	1			1	
All other diseases (residual)	14	1	4		4		15	5	5		8	
Motor vehicle accidents (810-835)	7		6		2		9		4		5	
All other accidents (800-802; 840-962)	4		1	1	5		12		3		5	
Suicide and self-inflicted injury (970-979)	2		2				6		3		4	
Homicide (980-985)					1				1			

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Mississippi		Moniteau		Monroe		Montgomery		Morgan		New Madrid	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	19,202		10,000		10,150		10,854		8,832		27,719	
TOTAL LIVE BIRTHS	316	219	184		128	9	191	8	120	3	450	234
Attended by M.D.	178	30	140		104	8	126	4	96	3	362	128
Attended by D.O.	135	140	44		24	1	65	4	24		86	29
Attended by midwives	3	44									2	72
Others or unspecified		5										5
TOTAL FETAL DEATHS	4	6	5		1		4		1		6	8
Attended by M.D.	3	2	5		1		4		1		4	6
Attended by D.O.	1	4									2	1
Attended by midwives												1
Others or unspecified												
TOTAL DEATHS	176	57	146	4	156	6	194	13	128	4	205	77
Under one year of age	11	11	1		1		2		2		12	20
Neonatal deaths	8	4	1		1		2		1		8	10
Maternal deaths	1		1									
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2	1										1
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												1
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												2
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1		1			
Malignant neoplasms (140-205)	25	9	24		20	2	28	3	20	2	31	3
Benign and unspecified neoplasms (210-239)	1				1							1
Diabetes mellitus (260)		2			3		4	1	1		4	
Anemias (290-293)					1							
Vascular lesions affecting central nervous system (330-334)	25	2	25	1	14	1	27	1	21	1	19	6
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)									1			
Chronic rheumatic heart disease (410-416)	1						1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	50	14	62	1	73	1	78	4	33		48	10
Other diseases of heart (430-434)	8	1	5		4		5		4	1	5	1
Hypertension with heart disease (440-443)	3	4	2	1	4		3		5		14	1
Hypertension w/o mention of heart (444-447)				1			8				2	1
Other diseases of circulatory system (450-468)	10	4	3		9		2		10		6	5
Influenza (480-483)					1		1		1			
Lobar pneumonia 4 weeks (490)	1		2		2		2				1	1
Bronchopneumonia 4 weeks (491)	1	3	3		2		1		5		3	6
Pneumonia, other forms 4 weeks (492-493)	4	2	3		1	1	2		1		2	4
Bronchitis (500-502)									1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												1
Gastro Enteritis and colitis, 2 years (571.1)							1					
Cirrhosis of liver (581)	4				1				3		1	
Other diseases of digestive system (530-587 excl. above)	7				2		3		6		2	1
Nephritis and nephrosis (590-594)	2		1		1		3	2	1		1	
Complications of pregnancy and puerperium (640-652; 660-689)	1		1									
Congenital malformations (750-759)	2						1				7	1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		1			1			1		4	1
Pneumonia of newborn (under 4 weeks.) (763)		2										
Diarrhea of newborn (under 4 weeks.) (764)												
Other infections of newborn (under 4 weeks.) (765-768)												
Other diseases of early infancy (under 4 weeks.) (769-776)	5	2	1				1				4	4
Senility, ill defined and unknown causes (780-795)	5	5			1		1				20	15
All other diseases (residual)	5	1	4		9		10		3		11	2
Motor vehicle accidents (810-835)	4	1	4		2		8		3		10	2
All other accidents (800-802; 840-962)	3	2	3		5		2	2	2		6	5
Suicide and self-inflicted injury (970-979)	5	1	2				1		2		1	1
Homicide (980-985)		1							2		1	1

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Newton		Nodaway		Oregon		Osage		Ozark		Pemiscot	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 64	29,794		20,660		8,737		10,356		5,769		34,487	
TOTAL LIVE BIRTHS	509	6	400		140		223		85		530	371
Attended by M.D.	396	4	392		89		175		77		519	333
Attended by D.O.	113	2	8		51		48		8		6	5
Attended by midwives											1	31
Others or unspecified											4	2
TOTAL XXXXXXXXXX FETAL DEATHS	4		5				3		2		9	19
Attended by M.D.	3		5				2		2		9	18
Attended by D.O.	1						1					
Attended by midwives												
Others or unspecified												1
TOTAL DEATHS	362	1	259		105		112		71		279	151
Under one year of age	8		12		3		5		3		20	21
Neonatal deaths	8		8		3		5		2		10	10
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1		1				2	1
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)									1		1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)											1	
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)											1	
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							2					
Malignant neoplasms (140-205)	55		41		12		20		11		37	22
Benign and unspecified neoplasms (210-239)	4										1	
Diabetes mellitus (260)	4				3		5		1		7	1
Anemias (290-293)	1		1						1			
Vascular lesions affecting central nervous system (330-334)	47		40		16		11		9		28	17
Nonmeningococcal meningitis (340)												1
Rheumatic fever (400-402)			1				1				1	
Chronic rheumatic heart disease (410-416)	1		1		1						1	
Arteriosclerotic and degenerative heart disease (420-422)	122		84		41		39		23		80	26
Other diseases of heart (430-434)	9		4				6		3		3	2
Hypertension with heart disease (440-443)	3		17		6		2				12	13
Hypertension w/o mention of heart (444-447)	2		1		2		1					
Other diseases of circulatory system (450-468)	18		9		2		5		2		6	3
Influenza (480-483)			3								1	
Lobar pneumonia 1 weeks (490)	1		1								3	2
Bronchopneumonia 4 weeks (491)	5		8				1		1		4	2
Pneumonia, other forms 4 weeks (492-493)	2		2								4	9
Bronchitis (500-502)	1											
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											1	2
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			2						1		1	
Other diseases of digestive system (530-587 excl. above)	11		4		3		2		2		10	5
Nephritis and nephrosis (590-594)	4		4		1		1		3			2
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	2		1				1				6	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	3		5		1		2		1		2	3
Pneumonia of newborn (under 4 weeks) (763)											1	1
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		3		2		2		1		3	5
Senility, ill defined and unknown causes (780-795)	24		1		1		2		2		12	9
All other diseases (residual)	11		13		6		4		2		21	5
Motor vehicle accidents (810-835)	15		4		5		1		2		8	3
All other accidents (800-802; 840-962)	7		8		2		1		1		18	12
Suicide and self-inflicted injury (970-979)	5		1				2		2		3	
Homicide (980-985)	2	1							2		1	4

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Perry		Pettis		Phelps		Pike		Platte		Polk	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	13,887		35,654		26,301		16,096		28,241		12,395	
TOTAL LIVE BIRTHS	298		572	41	515	3	288	37	509	5	162	
Attended by M.D.	295		434	40	431	3	199	28	448	4	145	
Attended by D.O.	3	-	137	1	82		85	9	59	1	15	
Attended by midwives					1		4					
Others or unspecified			1		1				2		2	
TOTAL FETAL DEATHS	5		15		7		2		8		2	
Attended by M.D.	5		9		5		2		8		1	
Attended by D.O.			6		2						1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	152		416	16	298	3	208	26	214	2	226	
Under one year of age	2		13	2	15		6	1	13	1	5	
Neonatal deaths	2		10		14		4	1	7	1	3	
Maternal deaths								1				
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1		1		1					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)											1	
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1		1							
Malignant neoplasms (140-205)	19		75	1	29		24	3	36	1	24	
Benign and unspecified neoplasms (210-239)			4		1		3		1		1	
Diabetes mellitus (260)	5		8		4		4		1		1	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	22		46	2	54	1	21	3	35		34	
Nonmeningococcal meningitis (340)									1			
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)					3		1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	53		138	5	76	2	75	8	65		94	
Other diseases of heart (430-434)	1		15	1	8		11		1		5	
Hypertension with heart disease (440-443)	14		6	1	8		4	2	2		2	
Hypertension w/o mention of heart (444-447)	1				1				2			
Other diseases of circulatory system (450-468)	7		15		18		9		4		11	
Influenza (480-483)			1				1				1	
Lobar pneumonia 4 weeks (490)	1		3	1	1		2					
Bronchopneumonia 4 weeks (491)	4		9		5			1	2		3	
Pneumonia, other forms 4 weeks (492-493)			4	1	10		12	2	1		2	
Bronchitis (500-502)			2						2		2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1			
Gastro Enteritis and colitis, 2 years (571.1)			2						1			
Cirrhosis of liver (581)			4	1	6			1	3		1	
Other diseases of digestive system (530-587 excl. above)	4		12		9		9		2		6	
Nephritis and nephrosis (590-594)	1		4		6		4		2			
Complications of pregnancy and puerperium (640-652; 660-689)								1				
Congenital malformations (750-759)	1		5		2		1		4		1	
Birth injuries, asphyxia, (under 4 weeks,) (760-762)	2		6		4		3		2		1	
Pneumonia of newborn (under 4 weeks) (763)			1					1	1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)					5				3	1	1	
Senility, ill defined and unknown causes (780-795)	1		1	1	3			1			11	
All other diseases (residual)	6		27	1	11		13		10		11	
Motor vehicle accidents (810-835)	3		12	1	12				15		5	
All other accidents (800-802; 840-962)	5		9		11		6	2	4		3	
Suicide and self-inflicted injury (970-979)	1		4		5		3	1	9		3	
Homicide (980-985)	1		1		3		1		3		1	

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS,
AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY
AREAS INCLUDING CITIES, MISSOURI: 1964

	Pulaski		Putnam		Ralls		Randolph		Ray		Reynolds	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	45,833		6,047		7,552		20,879		15,721		4,446	
TOTAL LIVE BIRTHS	458	22	94		110	5	326	30	248	7	67	
Attended by M.D.	302	19	23		104	5	245	28	221	7	65	
Attended by D.O.	155	3	71		6		80	2	26		1	
Attended by midwives												
Others or unspecified	1						1		1		1	
TOTAL FETAL DEATHS	11	2	2		2		3	2	2		4	
Attended by M.D.	8	2			2		2	2	2		4	
Attended by D.O.	3		2				1					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	175	2	108		108	1	340	30	198	17	58	
Under one year of age	20	1	2		1		9		4		5	
Neonatal deaths	14	1	2		1		7		4		5	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1											
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1					1	1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)			1									
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1					
Malignant neoplasms (140-205)	24		22		19		55	2	25	3	11	
Benign and unspecified neoplasms (210-239)	3						1		1	1		
Diabetes mellitus (260)	3				3		5		3		2	
Anemias (290-293)					1		2		1			
Vascular lesions affecting central nervous system (330-334)	15		14		15		46	7	32	5	6	
Nonmeningococcal meningitis (340)	1											
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1									1		
Arteriosclerotic and degenerative heart disease (420-422)	41	1	32		37	1	123	10	56	2	15	
Other diseases of heart (430-434)	1				2		4		2	1		
Hypertension with heart disease (440-443)	8		5		2		8	1	2			
Hypertension w/o mention of heart (444-447)	1				2		1					
Other diseases of circulatory system (450-468)	2		5		2		4		17		4	
Influenza (480-483)							2					
Lobar pneumonia 1 weeks (490)	2		1		2		3		1			
Bronchopneumonia 4 weeks (491)	4		1				2		1		1	
Pneumonia, other forms 4 weeks (492-493)	2		1		1		1		7	1	1	
Bronchitis (500-502)	1		1				1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											1	
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	4						6		1		1	
Other diseases of digestive system (530-587 excl. above)	4		5		1		13	2	6			
Nephritis and nephrosis (590-594)	1		7		1		3		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	5						2		2		2	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2	1	1		1		1				2	
Pneumonia of newborn (under 4 weeks) (763)	1								1		1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1						1					
Other diseases of early infancy (under 4 weeks) (769-776)	8		1				3		1		1	
Senility, ill defined and unknown causes (780-795)	3				4		9	2	2	2	2	
All other diseases (residual)	11		3		4		16	2	15	1	2	
Motor vehicle accidents (810-835)	10				3		11	2	8		2	
All other accidents (800-802; 840-902)	10		4		6		14	1	10		1	
Suicide and self-inflicted injury (970-979)	2		2		2		2		1		1	
Homicide (980-985)	2		1								1	

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Ripley		St. Charles		St. Clair		St. Francois		Ste. Genevieve		St. Louis	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	8,021		70,321		7,437		35,221		11,949		888,060	
TOTAL LIVE BIRTHS	143		1,814	26	118		652	2	268	1	15,483	561
Attended by M.D.	124		1,596	21	89		539	2	250	1	14,767	558
Attended by D.O.	18		218	5	29		111		18		706	
Attended by midwives							1				3	
Others or unspecified	1						1				7	3
TOTAL XXXXXXXXXX FETAL DEATHS			27	1	2		11		5		181	10
Attended by M.D.			23	1	2		10		4		170	10
Attended by D.O.			4								10	
Attended by midwives												
Others or unspecified							1		1		1	
TOTAL DEATHS	118		411	13	145		475	4	125	2	5,566	225
Under one year of age	3		31	1	1		13		3		261	16
Neonatal deaths	2		25	1	1		9		3		219	14
Maternal deaths			4								5	1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1										13	
Tuberculosis, other forms (010-019)							1	1			1	
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1				5	1
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)											1	
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)			1								3	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)											1	
Measles (085)											2	
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1								5	2
Malignant neoplasms (140-205)	13		70		17		74		20	1	1,061	34
Benign and unspecified neoplasms (210-239)			1								15	1
Diabetes mellitus (260)	3		4	2	4		16		2		96	3
Anemias (290-293)											10	1
Vascular lesions affecting central nervous system (330-334)	15		37	1	32		73		12		557	31
Nonmeningococcal meningitis (340)							1				9	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		2		2		3				59	
Arteriosclerotic and degenerative heart disease (420-422)	50		152	6	55		165	1	54		1,872	54
Other diseases of heart (430-434)	3		4				10		5		70	3
Hypertension with heart disease (440-443)	1		6				13	1	5		117	13
Hypertension w/o mention of heart (444-447)			2		1		2				40	2
Other diseases of circulatory system (450-468)	3		20		6		19		3		219	9
Influenza (480-483)			1								2	
Lobar pneumonia 1 weeks (490)			4		1		9		1		24	3
Bronchopneumonia 4 weeks (491)	1		3		1		6				91	7
Pneumonia, other forms 4 weeks (492-493)	3		1		3		5		1		45	2
Bronchitis (500-502)	1										11	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											1	
Gastro Enteritis and colitis, 2 years (571.1)									1		5	
Cirrhosis of liver (581)	2		3	1			3				54	3
Other diseases of digestive system (530-587 excl. above)	3		11		3		3		4		122	4
Nephritis and nephrosis (590-594)	3		3		3		2		1		33	2
Complications of pregnancy and puerperium (640-652; 660-689)			4								5	1
Congenital malformations (750-759)	2		5		1		4				68	2
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			11	1			4		2		77	2
Pneumonia of newborn (under 4 weeks) (763)			1								11	2
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)											1	1
Other diseases of early infancy (under 4 weeks) (769-776)	1		10				3		1		87	7
Sanility, ill defined and unknown causes (780-795)	2		12				20		2		172	9
All other diseases (residual)	4		17	1	3		12		3		233	5
Motor vehicle accidents (810-835)	2		11	1	5		12	1	6		141	5
All other accidents (800-802; 840-962)	2		9		8		10		2		133	9
Suicide and self-inflicted injury (970-979)	2		5				3				85	1
Homicide (980-985)							1			1	9	5

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Saline		Schuyler		Scotland		Scott		Shannon		Shelby	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	23,734		4,600		5,938		31,623		6,495		8,451	
TOTAL LIVE BIRTHS	382	23	74		99		682	122	144		132	4
Attended by M.D.	365	22	20		42		559	41	95		89	2
Attended by D.O.	16		54		57		117	11	39		43	2
Attended by midwives							6	70	10			
Others or unspecified	1	1										
TOTAL XXXXXXXXXXXX FETAL DEATHS	6	1	1		2		11	3	2		2	
Attended by M.D.	6	1			1		10	3			1	
Attended by D.O.			1		1		1		1		1	
Attended by midwives									1			
Others or unspecified												
TOTAL DEATHS	310	28	85		104		312	47	81		143	2
Under one year of age	5	1	2		1		24	8	3		1	
Neonatal deaths	4	1	2		1		17	3	2			
Maternal deaths								1				
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	4						3				1	
Tuberculosis, other forms (010-019)							1					
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)											1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)							1					
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)							2					
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1				1		1				1	
Malignant neoplasms (140-205)	47	3	12		16		51	7	17		20	
Benign and unspecified neoplasms (210-239)							1					
Diabetes mellitus (260)	2											
Anemias (290-293)	1											
Vascular lesions affecting central nervous system (330-334)	53	4	20		14		29	7	11		27	1
Nonmeningococcal meningitis (340)			1					1				
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2		1				1					
Arteriosclerotic and degenerative heart disease (420-422)	115	9	25		41		110	9	26		51	1
Other diseases of heart (430-434)	2		3		1		2		1		1	
Hypertension with heart disease (440-443)	8	1	1		2		11	3			11	
Hypertension w/o mention of heart (444-447)	1										6	
Other diseases of circulatory system (450-468)	9	1	5		2		4		6		8	
Influenza (480-483)												
Lobar pneumonia 1 weeks (490)	2	2			1		1		1		1	
Bronchopneumonia 4 weeks (491)	4				1		3		3		2	
Pneumonia, other forms 4 weeks (492-493)	3	1			3		3	4	1		4	
Bronchitis (500-502)							1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	1				
Gastro Enteritis and colitis, 2 years (571.1)	1						1		1			
Cirrhosis of liver (581)	1						2				1	
Other diseases of digestive system (530-587 excl. above)	3	1	4		6		7	1			2	
Nephritis and nephrosis (590-594)	4	1	2		2		1		1			
Complications of pregnancy and puerperium (640-652; 660-689)								1				
Congenital malformations (750-759)	2						4	1				
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			2		1		4					
Pneumonia of newborn (under 4 weeks) (763)								1				
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3	1					11	2	2			
Senility, ill defined and unknown causes (780-795)	1						4					
All other diseases (residual)	20	3	5		5		18	2	8		3	
Motor vehicle accidents (810-835)	11				2		20	1	1			
All other accidents (800-802; 840-962)	8		4		6		9	5			1	
Suicide and self-inflicted injury (970-979)	2						4		1		2	
Homicide (980-985)		1					1	1	1			

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS,
AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Stoddard		Stone		Sullivan		Taney		Texas		Vernon	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	27,019		7,481		7,620		9,995		16,625		19,073	
TOTAL LIVE BIRTHS	448	58	141		91		159		316		250	
Attended by M.D.	298	10	140		40		156		232		238	
Attended by D.O.	148	33	1		51		3		83		12	
Attended by midwives	1	15							1			
Others or unspecified	1											
TOTAL XXXXXXXXXX FETAL DEATHS	9	1	5		1		1		6		6	
Attended by M.D.	9	1	5		1		1		5		6	
Attended by D.O.									1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	319	12	89		161		132		215		279	
Under one year of age	10	4	2		2		4		6		7	
Neonatal deaths	8	2	2		2		2		3		3	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1								2			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1		1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1											
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (092)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (116-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											
Malignant neoplasms (140-205)	54	1	12		24		21		26		36	
Benign and unspecified neoplasms (210-239)	1										1	
Diabetes mellitus (260)	2		3		4		4					
Anemias (290-293)	2				1							
Vascular lesions affecting central nervous system (330-334)	45	2	13		30		19		35		40	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		1				1				1	
Arteriosclerotic and degenerative heart disease (420-422)	106	3	37		49		38		85		107	
Other diseases of heart (430-434)	8	1	2		4		4		4		9	
Hypertension with heart disease (440-443)	11				4		2		7		21	
Hypertension w/o mention of heart (444-447)	2				2		2		1		5	
Other diseases of circulatory system (450-468)	11		3		7		6		4		8	
Influenza (480-483)							1				2	
Lobar pneumonia 4 weeks (490)	1	1	1		2		1		2		1	
Bronchopneumonia 4 weeks (491)	6		1		2				6		7	
Pneumonia, other forms 4 weeks (492-493)		1					2		3		1	
Bronchitis (500-502)	2		1		1		1		1		2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1		1			
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1						3		1			
Other diseases of digestive system (530-587 excl. above)	5		1		7		3		3		3	
Nephritis and nephrosis (590-594)	2		3		3		3		1		1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	2				1				2			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		1				1		2		3	
Pneumonia of newborn (under 4 weeks) (763)	1	1										
Diarrhea of newborn (under 4 weeks) (764)	1											
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4	1	1				1					
Senility, ill defined and unknown causes (780-795)	9		2				1		1		5	
All other diseases (residual)	7	1	1		8		4		8		9	
Motor vehicle accidents (810-835)	18		3		5		3		12		6	
All other accidents (800-802; 840-962)	12		3		7		4		5		8	
Suicide and self-inflicted injury (970-979)							5		2		3	
Homicide (980-985)												

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1964

	Warren		Washington		Wayne		Webster		Worth		Wright	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	9,047		13,618		7,700		12,837		3,416		12,975	
TOTAL LIVE BIRTHS	162	5	320	3	182	1	265		62		223	
Attended by M.D.	129	4	228	1	155	1	191		45		145	
Attended by D.O.	33	1	73	2	26		73		17		78	
Attended by midwives			16									
Others or unspecified			3		1		1				2	
TOTAL ***** FETAL DEATHS			6		3		1		1		3	1
Attended by M.D.			5		3		1				1	1
Attended by D.O.			1						1		2	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	85	8	160	1	142		170		68		171	1
Under one year of age			9		5		6		1		5	
Neonatal deaths	1		7		2		4				2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)							1				1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1											
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)							1					
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	17		19		19		23		7		18	
Benign and unspecified neoplasms (210-239)	1										1	
Diabetes mellitus (260)	3	1	4		4		2				5	
Anemias (290-293)			1		1				1			
Vascular lesions affecting central nervous system (330-334)	6	1	21	1	15		32		5		27	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		5		3						1	
Arteriosclerotic and degenerative heart disease (420-422)	33	4	41		44		45		21		63	1
Other diseases of heart (430-434)	3		4		4		2		4		2	
Hypertension with heart disease (440-443)	1		10		4		12		1		6	
Hypertension w/o mention of heart (444-447)			1				2		1		2	
Other diseases of circulatory system (450-468)	5		5		1		8		4		8	
Influenza (480-483)			2		1		2		1		1	
Lobar pneumonia 1 weeks (490)			2									
Bronchopneumonia 4 weeks (491)			2		3		6		1		4	
Pneumonia, other forms 4 weeks (492-493)			7		6		1				2	
Bronchitis (500-502)							1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)	1		1				1				1	
Cirrhosis of liver (581)			1									
Other diseases of digestive system (530-587 excl. above)	1		2		3		3		3		5	
Nephritis and nephrosis (590-594)	1		4		1				2		4	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)			2				1					
Birth injuries, asphyxia, (under 4 weeks-) (760-762)			1		1		1		1		3	
Pneumonia of newborn (under 4 weeks) (763)					1		1					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)			6				1					
Senility, ill defined and unknown causes (780-795)					5		2		1		1	
All other diseases (residual)	3	1	5		12		8		6		4	
Motor vehicle accidents (810-835)	3		5		7		8		4		4	
All other accidents (800-802; 840-962)	3	1	6		4		5		2		4	
Suicide and self-inflicted injury (970-979)	1		3		2		1		2		4	
Homicide (980-985)					1							

TABLE 15. RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH
BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND
OVER. MISSOURI: 1964

	St. Louis City			Bellefontaine Neighbors		Berkeley		Brentwood		Cape Girardeau	
	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	683,917										
TOTAL LIVE BIRTHS	15,994	8,941	7,053	121		397	9	312	13	476	25
Attended by M.D.	15,703	8,664	7,039	118		342	9	310	13	456	22
Attended by D.O.	266	266		3		55		2		20	3
Attended by midwives	3	1	2								
Others or unspecified	22	10	12								
TOTAL FETAL DEATHS	361	140	221			4		4		6	1
Attended by M.D.	335	135	200			4		4		6	1
Attended by D.O.	1	1									
Attended by midwives											
Others or unspecified	25	4	21								
TOTAL DEATHS	9,902	7,218	2,684	86		82	2	70	9	238	17
Under one year of age	511	217	294			3	1	2		14	1
Neonatal deaths	376	167	209			3	1	1		12	
Maternal deaths	12	1	11								
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)	56	39	17			1					
Tuberculosis, other forms (010-019)	5	1	4								
Syphilis, under 1 year (020-029)											
Syphilis, age 1 year and over (020-029)	19	7	12								
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)	1		1								
Amebic dysentery (046)											
Other and unspecified dysentery (047-048)											
Scarlet fever and streptococcal sore throat (050-051)								1			
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)	4	3	1								
Tularemia (059)											
Tetanus (061)											
Acute poliomyelitis (080)											
Acute infectious encephalitis (082)	1		1								
Measles (085)											
Infectious Hepatitis (092)	2	2									
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)	14	11	3							1	
Malignant neoplasms (140-205)	1,598	1,203	395	17		14		13	2	30	2
Benign and unspecified neoplasms (210-239)	21	14	7	1							
Diabetes mellitus (260)	194	139	55	4		3		1		1	1
Anemias (290-293)	18	7	11					1			
Vascular lesions affecting central nervous system (330-334)	1,058	740	318	10		11		8	1	21	2
Nonmeningococcal meningitis (340)	17	5	12								
Rheumatic fever (400-402)	2	1	1								
Chronic rheumatic heart disease (410-416)	81	64	17	2				1			
Arteriosclerotic and degenerative heart disease (420-422)	3,419	2,823	596	27		25	1	29	1	95	4
Other diseases of heart (430-434)	110	66	44	2						4	1
Hypertension with heart disease (440-443)	300	167	133	3		2		1	1	10	1
Hypertension w/o mention of heart (444-447)	98	50	48	2						6	
Other diseases of circulatory system (450-468)	419	334	85	4		3		1		8	
Influenza (480-483)	6	3	3								
Lobar pneumonia 4 weeks (490)	72	42	30	1					1	1	
Bronchopneumonia 4 weeks (491)	195	140	55			1		3		5	
Pneumonia, other forms 4 weeks (492-493)	113	62	51	2				1		1	
Bronchitis (500-502)	29	20	9			1		1		2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	13	6	7								
Gastro Enteritis and colitis, 2 years (571.1)	9	5	4								
Cirrhosis of liver (581)	158	118	40			2		1	2	1	
Other diseases of digestive system (530-587 excl. above)	233	188	45	1		1				8	
Nephritis and nephrosis (590-594)	70	42	28	1		2				3	1
Complications of pregnancy and puerperium (640-652; 660-689)	12	1	11								
Congenital malformations (750-759)	81	55	26	1				1		4	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	127	73	54			1				11	
Pneumonia of newborn (under 4 weeks) (763)	17	6	11					1			
Diarrhea of newborn (under 4 weeks) (764)											
Other infections of newborn (under 4 weeks) (765-768)	2		2								
Other diseases of early infancy (under 4 weeks) (769-776)	197	61	136			2	1			1	
Senility, ill defined and unknown causes (780-795)	56	39	17	1		2		2	1	1	
All other diseases (residual)	428	289	139	2		3		1		10	1
Motor vehicle accidents (810-835)	128	76	52	3		3		1		5	
All other accidents (800-802; 840-962)	324	211	113			3		1		9	4
Suicide and self-inflicted injury (970-979)	85	72	13	1		2		1			
Homicide (980-985)	110	33	77	1							

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1964

	Carthage		Clayton		Columbia		Crestwood		Ferguson		Florissant	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964												
TOTAL LIVE BIRTHS	200	5	167	1	827	98	228		490	4	1,684	
Attended by M.D.	197	5	165	1	822	98	226		455	4	1,601	
Attended by D.O.	3		2		5		2		35		82	
Attended by midwives												
Others or unspecified												1
TOTAL FETAL DEATHS	3				5	3	4		4		17	
Attended by M.D.	3				5	3	4		2		15	
Attended by D.O.									2		2	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	179	5	193	3	251	32	57		157	1	227	
Under one year of age	4		4	1	18	5	4		6		24	
Neonatal deaths	2		4	1	14	3	3		6		21	
Maternal deaths			1								1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1								1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1		1									
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1		1	
Malignant neoplasms (140-205)	24	1	39	1	45	5	10		29		40	
Benign and unspecified neoplasms (210-239)			2		1						1	
Diabetes mellitus (260)	2	1	5			1	1		3		7	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	23		25		30	2	4		15		22	
Nonmeningococcal meningitis (340)					2						1	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		2				1		1		4	
Arteriosclerotic and degenerative heart disease (420-422)	70		67		82	8	22		60		68	
Other diseases of heart (430-434)	5				2				1			
Hypertension with heart disease (440-443)	4	2	4		11	4	1				3	
Hypertension w/o mention of heart (444-447)	3		4		2	1					2	
Other diseases of circulatory system (450-468)	8		6	1	7	1	1		7		6	
Influenza (480-483)					1							
Lobar pneumonia 4 weeks (490)	1	1	1				1		1		1	
Bronchopneumonia 4 weeks (491)	3		6		1	1				1	2	
Pneumonia, other forms 4 weeks (492-493)	3		1		4	2			1		2	
Bronchitis (500-502)	1				2							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)					1							
Cirrhosis of liver (581)	1				1	1	1		1		1	
Other diseases of digestive system (530-587 excl. above)	4		2		5				3		4	
Nephritis and nephrosis (590-594)	1		1						3		1	
Complications of pregnancy and puerperium (640-652; 660-689)			1								1	
Congenital malformations (750-759)	2		2		4		3		1		5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)					3				1		11	
Pneumonia of newborn (under 4 weeks) (763)				1	1		1					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		3		8	3	2		4		7	
Senility, ill defined and unknown causes (780-795)	4		4				1		8		8	
All other diseases (residual)	9		9		22	1	3		4		8	
Motor vehicle accidents (810-835)	4		3		4		3		4		10	
All other accidents (800-802; 840-962)	2		1		5	1			6		4	
Suicide and self-inflicted injury (970-979)	2		3		7	1	2		3		5	
Homicide (980-985)											1	

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER. MISSOURI: 1964

	Fulton		Gladstone		Hannibal		Independence		Jefferson City		Jennings	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964												
TOTAL LIVE BIRTHS	120	24	228		327	39	2,161	13	436	26	303	1
Attended by M.D.	112	22	214		326	39	1,829	13	370	20	279	1
Attended by D.O.	7	2	14		1		332		66	6	22	
Attended by midwives											1	
Others or unspecified	1										1	
TOTAL XXXXXX FETAL DEATHS	2		3		1		24		7	1	2	
Attended by M.D.	2		2		1		22		5		1	
Attended by D.O.			1				2		2	1		
Attended by midwives												
Others or unspecified											1	
TOTAL DEATHS	80	10	30		268	31	684	14	259	20	198	
Under one year of age	5		1		8	1	32	1	11	2	2	
Neonatal deaths	4		1		6	1	24		11	2	2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1		3					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							3					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)							1					
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1	1	1		1		1	
Malignant neoplasms (140-205)	15	1	6		34	3	108		33	5	41	
Benign and unspecified neoplasms (210-239)	1				1						1	
Diabetes mellitus (260)					5		8		3		6	
Anemias (290-293)					1							
Vascular lesions affecting central nervous system (330-334)	8	1	2		44	4	77	2	28	2	13	
Nonmeningococcal meningitis (340)	1						1					
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)					3		7	2	1		6	
Arteriosclerotic and degenerative heart disease (420-422)	27	4	11		96	13	263	4	99	2	71	
Other diseases of heart (430-434)					5		8	1	10		5	
Hypertension with heart disease (440-443)	4		1		3	1	10		9		4	
Hypertension w/o mention of heart (444-447)	1						5		4		2	
Other diseases of circulatory system (450-468)	3		3		12		23	1	8	2	9	
Influenza (480-483)					1						1	
Lobar pneumonia 4 weeks (490)		1			1	2	2		1			
Bronchopneumonia 4 weeks (491)	2				4		15	2	5	1	4	
Pneumonia, other forms 4 weeks (492-493)	2				3	1	5		2	2		
Bronchitis (500-502)					3		1				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)							1		1			
Cirrhosis of liver (581)					2		4		6		2	
Other diseases of digestive system (530-587 excl. above)					6		20	1	4		2	
Nephritis and nephrosis (590-594)	2	1			3		7		1	1	1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)					2		8			1		
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1				3	1	10		6			
Pneumonia of newborn (under 4 weeks) (763)									2		1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)											1	
Other diseases of early infancy (under 4 weeks) (769-776)	3		1		1		8	1	2	1		
Senility, ill defined and unknown causes (780-795)					1	1	6		6		8	
All other diseases (residual)	7	1			11	4	27		8	1	6	
Motor vehicle accidents (810-835)			4		7		25		5	2	4	
All other accidents (800-802; 840-962)		1			9		20		11		5	
Suicide and self-inflicted injury (970-979)	3		2		5		7		3		3	
Homicide (980-985)												

TABLE 15. (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER. MISSOURI: 1964

	Joplin		Kansas City			Kansas City Jackson County		Kansas City Clay County		Kansas City Platte County	
	White	Nonwhite	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964											
TOTAL LIVE BIRTHS	720	21	11,219	8,139	3,080	6,986	3,080	983		170	
Attended by M.D.	589	19	10,005	7,006	2,999	6,014	2,999	850		142	
Attended by D.O.	131	2	1,207	1,129	78	969	78	132		28	
Attended by midwives			4	3	1	3	1				
Others or unspecified			3	1	2			2	1		
TOTAL FETAL DEATHS	9	1	171	100	71	83	71	14		3	
Attended by M.D.	6	1	157	87	70	71	70	13		3	
Attended by D.O.	3		13	12	1	11	1	1			
Attended by midwives											
Others or unspecified			1	1		1					
TOTAL DEATHS	512	11	5,974	4,833	1,141	4,592	1,141	213		28	
Under one year of age	15		330	198	132	179	132	15		4	
Neonatal deaths	11		237	144	93	129	93	12		3	
Maternal deaths			4	2	2	2	2				
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)	5		38	25	13	25	13				
Tuberculosis, other forms (010-019)			5	2	3	2	3				
Syphilis, under 1 year (020-029)			1	1		1					
Syphilis, age 1 year and over (020-029)	2		11	9	2	9	2				
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)			4	3	1	3	1				
Amebic dysentery (046)											
Other and unspecified dysentery (047-048)											
Scarlet fever and streptococcal sore throat (050-051)											
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)			1	1		1					
Tularemia (059)											
Tetanus (061)											
Acute poliomyelitis (080)											
Acute infectious encephalitis (082)			2	1	1	1	1				
Measles (085)			2	2		2					
Infectious Hepatitis (092)			2	1	1	1	1				
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)			17	14	3	12	3	2			
Malignant neoplasms (140-205)	87		914	763	151	715	151	43		5	
Benign and unspecified neoplasms (210-239)	2		15	12	3	12	3				
Diabetes mellitus (260)	10	1	93	73	20	69	20	4			
Anemias (290-293)	1		11	10	1	8	1	2			
Vascular lesions affecting central nervous system (330-334)	51	1	669	555	114	530	114	19		6	
Nonmeningococcal meningitis (340)	1		16	8	8	8	8				
Rheumatic fever (400-402)	1		4	4		4					
Chronic rheumatic heart disease (410-416)	3		58	43	15	39	15	3		1	
Arteriosclerotic and degenerative heart disease (420-422)	142		1,809	1,625	184	1,559	184	66			
Other diseases of heart (430-434)	7		131	90	41	89	41	1			
Hypertension with heart disease (440-443)	26		170	113	57	108	57	4		1	
Hypertension w/o mention of heart (444-447)	1		44	33	11	32	11	1			
Other diseases of circulatory system (450-468)	25		259	171	88	162	88	9			
Influenza (480-483)	1		6	3	3	3	3				
Lobar pneumonia 1 weeks (490)	4		28	20	8	20	8				
Bronchopneumonia 4 weeks (491)	4		135	89	46	88	46	1			
Pneumonia, other forms 4 weeks (492-493)	5		77	57	20	56	20	1			
Bronchitis (500-502)	1		16	15	1	13	1	2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			5	3	2	2	2	1			
Gastro Enteritis and colitis, 2 years (571.1)			6	5	1	4	1			1	
Cirrhosis of liver (581)	8		71	55	16	53	16	2			
Other diseases of digestive system (530-587 excl. above)	18		186	151	35	146	35	5			
Nephritis and nephrosis (590-594)	5	1	60	33	27	33	27				
Complications of pregnancy and puerperium (640-652; 660-689)			4	2	2	2	2				
Congenital malformations (750-759)	4	1	60	46	14	44	14			2	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	6		78	53	25	45	25	7		1	
Pneumonia of newborn (under 4 weeks) (763)			11	6	5	6	5				
Diarrhea of newborn (under 4 weeks) (764)			1		1		1				
Other infections of newborn (under 4 weeks) (765-768)			2	2		2					
Other diseases of early infancy (under 4 weeks) (769-776)	1		118	58	60	53	60	4		1	
Senility, ill defined and unknown causes (780-795)	23	2	58	47	11	46	11	1			
All other diseases (residual)	24	4	306	248	58	238	58	7		3	
Motor vehicle accidents (810-835)	21		134	115	19	102	19	11		2	
All other accidents (800-802; 840-962)	19	1	189	160	29	149	29	10		1	
Suicide and self-inflicted injury (970-979)	3		83	78	5	71	5	3		4	
Homicide (980-985)	1		64	28	36	24	36	4			

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1964

	Kirkville		Kirkwood		Maplewood		Mexico		Moberly		Overland	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 64												
TOTAL LIVE BIRTHS	324	2	496	70	251	3	222	38	201	21	671	10
Attended by M.D.	89		485	70	242	3	184	35	154	20	611	10
Attended by D.O.	235	2	11		9		38	1	47	1	60	
Attended by midwives												
Others or unspecified								2				
TOTAL FETAL DEATHS	1		8		4		2	1	2	1	8	
Attended by M.D.			8		4		2	1	1	1	8	
Attended by D.O.	1								1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	160	1	252	24	145	1	133	22	210	19	242	3
Under one year of age	9		10	1	10		6	1	6		16	
Neonatal deaths	6		9	1	9		5		6		11	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1							1			3	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1								1			
Malignant neoplasms (140-205)	21	1	32	4	16		21	7	29	2	54	1
Benign and unspecified neoplasms (210-239)			2						1			
Diabetes mellitus (260)			4		2		6		3		6	
Anemias (290-293)	1		1	1			1		2			
Vascular lesions affecting central nervous system (330-334)	24		41	5	21		21	7	28	7	16	
Nonmeningococcal meningitis (340)					1						1	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		1		1		1				2	
Arteriosclerotic and degenerative heart disease (420-422)	51		92	5	50	1	40	4	74	7	74	
Other diseases of heart (430-434)	6				4		1		2		5	
Hypertension with heart disease (440-443)	3		2	2	6		7		6		5	
Hypertension w/o mention of heart (444-447)			1		1		1		1		3	
Other diseases of circulatory system (450-468)	9		6	1	4		7		1		12	1
Influenza (480-483)	1								2			
Lobar pneumonia 4 weeks (490)			2				1		2		1	
Bronchopneumonia 4 weeks (491)	1		4				1		1		4	
Pneumonia, other forms 4 weeks (492-493)	3		3		1				1		1	
Bronchitis (500-502)			2	1			1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)			1									
Cirrhosis of liver (581)	1		5				1		4		3	
Other diseases of digestive system (530-587 excl. above)	6		7		3		2	1	8	1	5	
Nephritis and nephrosis (590-594)	1		3		1				2		4	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		2	1	2		2	1	1		3	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	3		3		5		2		1		4	
Pneumonia of newborn (under 4 weeks) (763)	2		1		1							
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)									1			
Other diseases of early infancy (under 4 weeks) (769-776)	1		3		3		1		3		6	
Senility, ill defined and unknown causes (780-795)	1		6		5		1		5	1	7	
All other diseases (residual)	9		9		9		6	1	14		9	
Motor vehicle accidents (810-835)	3		10	1	5		6		7		7	
All other accidents (800-802; 840-962)	8		7	2	3		2		8	1	4	
Suicide and self-inflicted injury (970-979)	1		2		1		1		1		3	1
Homicide (980-985)				1								

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER. MISSOURI: 1964

	Poplar Bluff		Raytown		Richmond Heights		Rolla		St. Ann		St. Charles	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964												
TOTAL LIVE BIRTHS	273	37	475		174	22	239	3	465		819	14
Attended by M.D.	244	22	438		173	22	224	3	430		788	14
Attended by D.O.	21	3	37		1		15		35		31	
Attended by midwives	5	11										
Others or unspecified	3	1										
TOTAL ***** FETAL DEATHS	4		4		1	1	4		4		13	1
Attended by M.D.	3		4		1	1	3		2		13	1
Attended by D.O.	1						1		2			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	241	25	131		169	16	93	3	96		218	4
Under one year of age	7	4	11		10	1	9		6		21	1
Neonatal deaths	7	3	10		10	1	9		6		17	1
Maternal deaths											3	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1						1		1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)											1	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)			1									
Measles (085)												
Infectious Hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	28	5	19		33	3	10		18		37	
Benign and unspecified neoplasms (210-239)												
Diabetes mellitus (260)	2		2		1	1			1		2	1
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	31	5	15		17	1	17	1	6		16	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2				2				2			
Arteriosclerotic and degenerative heart disease (420-422)	99	4	47		63	3	22	2	28		84	2
Other diseases of heart (430-434)	8	1	2		2		2		3		2	
Hypertension with heart disease (440-443)	8	2	2		3	1			1		3	
Hypertension w/o mention of heart (444-447)	2	1	1		1		1				1	
Other diseases of circulatory system (450-468)	3	1	4		6		8		5		10	
Influenza (480-483)											1	
Lobar pneumonia 4 weeks (490)	2										2	
Bronchopneumonia 4 weeks (491)	2		2		3		2		1		2	
Pneumonia, other forms 4 weeks (492-493)	5				1		3		2		1	
Bronchitis (500-502)									1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)					1							
Cirrhosis of liver (581)	2				1		3		2		2	
Other diseases of digestive system (530-587 excl. above)	3		4		3		1		3		8	
Nephritis and nephrosis (590-594)	1		1		1	1			1		1	
Complications of pregnancy and puerperium (640-652; 660-689)											3	
Congenital malformations (750-759)	3	2	2		3		1		1		3	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1	2	2		4		2				6	1
Pneumonia of newborn (under 4 weeks) (763)									2		1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		6		3	1	4		3		8	
Senility, ill defined and unknown causes (780-795)	9	1			6		1		1		4	
All other diseases (residual)	10	1	9		8	1	3		4		11	
Motor vehicle accidents (810-835)	5		6		4		6		4		4	
All other accidents (800-802; 840-962)	9		1		2	2	5		3		4	
Suicide and self-inflicted injury (970-979)	1		5		1				2		1	
Homicide (980-985)	1					2	1		1			

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1964

	St. Joseph		Sedalia		Sikeston		Springfield		University City		Webster Groves	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964												
TOTAL LIVE BIRTHS	1,459	66	387	39	265	56	1,754	52	618	4	385	25
Attended by M.D.	1,404	65	284	38	236	21	1,714	52	605	4	384	25
Attended by D.O.	55		103	1	26		40		13		1	
Attended by midwives					3	35						
Others or unspecified		1										
TOTAL FETAL DEATHS	30	2	9		3	1	22	1	13		5	
Attended by M.D.	29	2	5		3	1	20	1	13		5	
Attended by D.O.	1		4				2					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	1,068	48	297	16	112	39	1,102	46	577	5	245	21
Under one year of age	39	6	12	2	9	5	55	2	14		6	
Neonatal deaths	27	3	9		4	2	41	2	11		5	
Maternal deaths									1			
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2				1		4		1			
Tuberculosis, other forms (010-019)					1							
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	6						1				1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)							1					
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1				2		2					
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)							1					
Infectious Hepatitis (092)							1					
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1		1		2		1			
Malignant neoplasms (140-205)	194	3	52	1	16	6	191	7	127		46	5
Benign and unspecified neoplasms (210-239)	3		4		1		2		3		1	
Diabetes mellitus (260)	16	1	7				15	3	8		2	
Anemias (290-293)	2						1		1		1	
Vascular lesions affecting central nervous system (330-334)	123	2	31	2	13	7	154	10	51		24	5
Nonmeningococcal meningitis (340)						1			1			
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	7						13		3		1	
Arteriosclerotic and degenerative heart disease (420-422)	382	16	105	5	36	8	323	9	217	3	90	3
Other diseases of heart (430-434)	15	1	12	1			15	4	3	1	2	
Hypertension with heart disease (440-443)	32	3	4	1	4	3	23	1	15		8	
Hypertension w/o mention of heart (444-447)	14	3					1		6		2	
Other diseases of circulatory system (450-468)	42	2	8		1		61	1	23		15	2
Influenza (480-483)	2		1				1					
Lobar pneumonia 1 weeks (490)	6		3	1			4	1	2		1	
Bronchopneumonia 4 weeks (491)	12	1	5		1		11		10		2	
Pneumonia, other forms 4 weeks (492-493)	4	1	3	1	1	2	17		3		2	
Bronchitis (500-502)	3		2		1				2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)		1			1	1						
Gastro Enteritis and colitis, 2 years (571.1)	1		2									
Cirrhosis of liver (581)	12		1	1			8	1	5		2	1
Other diseases of digestive system (530-587 excl. above)	16		10		3		28	1	21	1	6	
Nephritis and nephrosis (590-594)	2		1				6		2		2	
Complications of pregnancy and puerperium (640-652; 660-689)						1			1			
Congenital malformations (750-759)	15		4		2		11		3		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	8	1	6		2		12	1	3		2	
Pneumonia of newborn (under 4 weeks) (763)	1		1			1						
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	12	2			1	2	21	1	5		3	
Senility, ill defined and unknown causes (780-795)	38	2		1	1		50	2	15		4	3
All other diseases (residual)	41	3	15	1	5	1	47		22		6	1
Motor vehicle accidents (810-835)	14	2	7	1	12	1	29	2	8		6	
All other accidents (800-802; 840-962)	34	4	8		4	4	26	2	8		7	1
Suicide and self-inflicted injury (970-979)	4		3		2		14		6		7	
Homicide (980-985)	3		1			1	6		1		1	

MARRIAGES

TABLE 16. REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI: 1964

Age of Groom	Age of Bride																																		35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75+	Not Stat- ed
	Total	Und.	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34																							
Total	38,802	486	1,412	2,576	4,754	4,458	3,982	3,485	3,008	1,846	1,301	866	725	657	526	442	412	370	333	306	337	1,372	995	937	789	554	403	239	149	75	807													
15 & Under	6	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
16 Years	82	22	20	23	9	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
17 Years	613	66	149	174	151	52	9	3	3	1	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-													
18 Years	1,654	107	271	440	539	180	56	24	17	3	5	1	2	2	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	2													
19 Years	2,489	82	254	472	756	575	207	62	33	13	10	6	2	1	4	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-	6													
20 Years	3,457	63	219	483	896	784	614	220	83	31	21	10	3	8	3	5	-	3	1	-	-	1	-	-	1	-	-	-	-	-	8													
21 Years	4,461	58	196	377	917	972	811	652	256	81	56	22	12	12	9	3	3	1	2	4	1	3	1	1	1	-	-	-	-	-	10													
22 Years	4,150	33	112	237	588	737	727	668	627	213	76	41	24	19	17	7	5	3	3	1	-	4	1	1	-	-	-	-	-	-	6													
23 Years	2,954	18	64	134	315	396	487	506	448	310	107	49	47	12	14	13	10	3	2	3	2	4	3	1	1	1	-	-	-	-	4													
24 Years	2,166	6	32	77	176	223	333	356	359	228	161	79	44	26	16	11	7	4	3	3	3	10	3	1	1	-	-	-	-	-	4													
25 Years	1,705	9	24	50	123	148	197	239	297	216	152	67	64	31	19	16	14	4	6	5	8	12	2	1	-	-	-	-	-	-	1													
26 Years	1,447	4	16	31	101	101	135	188	230	170	143	102	75	50	25	13	11	15	5	5	8	12	5	-	-	-	-	-	-	-	2													
27 Years	1,132	7	16	22	46	79	108	132	139	114	112	87	66	64	40	20	21	10	14	6	7	17	3	-	1	-	-	-	-	-	1													
28 Years	915	3	5	11	33	55	69	104	117	100	75	74	57	54	39	20	25	18	11	9	6	21	7	-	-	-	-	-	-	-	2													
29 Years	793	3	5	9	26	24	46	77	87	87	81	55	36	58	43	38	23	14	18	17	11	26	5	3	1	-	-	-	-	-	-													
30 Years	691	-	5	9	7	27	44	65	60	52	61	48	39	46	47	25	32	29	13	16	11	38	8	5	2	-	-	-	-	-	2													
31 Years	573	-	1	2	14	12	29	44	59	48	51	34	47	47	24	23	28	23	22	12	14	27	6	5	1	-	-	-	-	-	-													
32 Years	539	-	-	3	13	18	27	34	48	23	43	39	30	42	32	16	37	17	27	22	10	35	15	5	1	-	-	-	-	-	2													
33 Years	462	1	5	1	6	14	16	25	22	26	23	30	18	27	24	27	23	28	29	20	13	59	20	4	-	-	-	-	-	-	1													
34 Years	420	1	2	2	3	10	9	13	21	25	22	26	21	26	31	14	18	19	20	17	31	55	24	7	2	1	-	-	-	-	-													
35-39 Years	1,769	1	4	7	17	22	34	47	54	59	62	61	83	87	73	99	73	92	67	76	98	375	188	65	19	1	2	-	-	-	3													
40-44 Years	1,348	1	3	3	6	11	9	10	23	35	19	21	22	28	31	50	37	53	48	46	56	302	319	135	53	18	3	-	-	1	5													
45-49 Years	1,086	-	1	-	2	3	5	5	15	7	13	7	19	10	15	25	22	20	20	27	28	179	253	255	103	35	14	1	-	1	1													
50-54 Years	900	-	2	-	2	3	4	3	3	4	1	6	6	6	13	7	11	9	6	8	15	110	182	195	192	74	30	4	1	-	3													
55-59 Years	694	-	-	-	1	1	-	2	1	-	2	-	1	-	3	2	3	3	4	7	9	45	81	117	193	146	54	13	5	-	1													
60-64 Years	549	-	-	2	1	-	1	-	-	-	-	1	2	-	2	2	4	1	7	2	3	22	39	70	111	127	100	30	13	5	4													
65-69 Years	464	-	-	1	-	-	-	1	-	-	1	-	1	-	1	1	3	-	1	-	-	6	21	41	62	85	112	93	26	8	-													
70-74 Years	283	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	4	16	29	44	66	55	50	14	2													
75 Years & Over	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	9	15	22	22	43	54	46	1													
Not Stated	782	-	5	5	5	6	3	3	5	-	2	-	3	-	1	2	-	-	2	-	-	3	1	-	-	-	-	-	-	-	736													

TABLE 17. REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS, GROOMS AND BRIDES, MISSOURI: 1964

Age	Groom						Bride					
	Total	Single	Annulled	Widowed	Divorced	Not Stated	Total	Single	Annulled	Widowed	Divorced	Not Stated
Total	38,802	27,651	16	2,085	8,295	755	38,802	27,713	14	2,460	7,839	776
15 Years & Under	6	5	-	-	1	-	486	482	-	-	4	-
16 Years	82	81	-	-	1	-	1,412	1,399	-	1	5	7
17 Years	613	610	-	1	2	-	2,576	2,537	2	2	31	4
18 Years	1,654	1,646	-	-	8	-	4,754	4,617	1	5	122	9
19 Years	2,489	2,454	-	-	32	3	4,458	4,268	1	7	178	4
20 Years	3,457	3,383	1	5	63	5	3,982	3,698	1	13	265	5
21 Years	4,461	4,303	2	2	152	2	3,485	3,127	1	14	340	3
22 Years	4,150	3,900	-	5	243	2	3,008	2,560	1	23	421	3
23 Years	2,954	2,654	2	10	287	1	1,846	1,442	1	11	389	3
24 Years	2,166	1,842	1	10	311	2	1,301	924	2	18	357	-
25 Years	1,705	1,383	2	5	314	1	866	522	1	10	332	1
26 Years	1,447	1,080	-	8	358	1	725	368	-	16	340	1
27 Years	1,132	816	2	11	301	2	657	313	1	14	328	1
28 Years	915	594	-	10	311	-	526	211	-	20	292	3
29 Years	793	477	-	13	302	1	442	162	-	29	251	-
30 Years	691	355	-	9	325	2	412	121	-	24	258	9
31 Years	573	282	1	13	273	4	370	103	-	28	238	1
32 Years	539	221	-	10	306	2	333	83	-	22	226	2
33 Years	462	190	1	14	254	3	306	83	-	25	197	1
34 Years	420	157	-	17	244	2	337	75	-	29	233	-
35 Years	376	134	1	15	224	2	257	48	1	23	184	1
36 Years	359	118	-	20	219	2	299	39	-	39	221	-
37 Years	369	111	-	28	228	2	302	39	-	48	215	-
38 Years	347	90	1	17	239	-	238	40	-	31	166	1
39 Years	318	59	-	17	242	-	276	39	-	36	200	1
40 Years	296	62	2	19	213	-	237	24	-	48	165	-
41 Years	249	62	-	16	171	-	251	32	-	50	169	-
42 Years	284	60	-	40	182	2	247	28	1	62	156	-
43 Years	275	39	-	36	197	3	264	26	-	63	175	-
44 Years	244	37	-	34	173	-	196	20	-	51	125	-
45-49 Years	1,086	136	-	196	754	-	937	91	-	315	531	-
50-54 Years	900	98	-	230	572	-	789	72	-	390	324	3
55-59 Years	694	76	-	272	344	2	554	31	-	332	190	1
60-64 Years	549	43	-	292	210	4	403	23	-	278	98	4
65-69 Years	464	33	-	303	126	2	239	9	-	178	52	-
70-74 Years	283	18	-	211	54	-	149	6	-	121	20	2
75 Years & Over	218	2	-	187	28	1	75	4	-	62	9	-
Not Stated	782	40	-	9	31	702	807	47	-	22	32	706

TABLE 18. REPORTED MARRIAGES BY MARITAL STATUS, MISSOURI: 1964

	Bride					
	Total	Single	Widowed	Divorced	Annulled	Not Stated
Groom Single	27,651	24,798	387	2,433	12	21
Widowed	2,084	263	1,140	677	-	4
Divorced	8,296	2,637	931	4,720	1	7
Annulled	16	11	-	4	1	-
Not Stated	755	4	2	5	-	744
Total	38,802	27,713	2,460	7,839	14	776

TABLE 19. REPORTED MARRIAGES BY COLOR OF GROOM, MISSOURI: 1964

Color	Number
White	34,254
Nonwhite	3,839
Other**	-
Not Stated	709
Total	38,802

**Includes Indians, Mexicans, Japanese, and Chinese.

DIVORCES

TABLE 20. REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES, HUSBAND vs WIFE, MISSOURI: 1964

	Wife							
Husband	Total	None	One	Two	Three	Four	Five or More	Not Stated
DIVORCES								
Total	12,723	2,476	6,903	2,227	696	163	74	184
None	2,495	2,026	370	60	25	3	3	8
One	6,872	364	5,492	737	193	37	17	32
Two	2,174	58	765	999	245	66	27	14
Three	675	14	170	269	162	33	17	10
Four	201	3	47	91	37	13	7	3
Five or More	107	4	21	45	26	8	3	-
Not Stated	199	7	38	26	8	3	-	117
ANNULMENTS								
Total	62	6	33	13	5	3	-	2
None	57	6	29	13	4	3	-	2
One	-	-	-	-	-	-	-	-
Two	4	-	3	-	1	-	-	-
Three	-	-	-	-	-	-	-	-
Four	-	-	-	-	-	-	-	-
Five or More	1	-	1	-	-	-	-	-
Not Stated	-	-	-	-	-	-	-	-

TABLE 21. REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI: 1964

Duration of Marriage (In Years)	Total	Number	
		Divorces	Annulments
Total	12,785	12,723	62
Under 1 Year	414	391	23
1 Year	1,304	1,280	24
2 Years	1,304	1,299	5
3 Years	1,120	1,115	5
4 Years	947	944	3
5 Years	846	846	-
6 Years	689	689	-
7 Years	602	601	1
8 Years	569	569	-
9 Years	435	435	-
10 Years	399	399	-
11 Years	400	400	-
12 Years	344	344	-
13 Years	294	294	-
14 Years	321	321	-
15 Years	288	288	-
16 Years	262	262	-
17 Years	264	264	-
18 Years	310	310	-
19 Years	158	158	-
20-24 Years	692	692	-
25-29 Years	405	405	-
30-34 Years	197	197	-
35-39 Years	98	98	-
40 Years & Over	77	77	-
Not Stated	46	45	1

TABLE 22. REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI: 1964

Children Reported	Total	Number	
		Divorces	Annulments
Total	12,785	12,723	62
No Children	5,570	5,510	60
One Child	2,918	2,917	1
Two Children	2,087	2,087	-
Three Children	1,114	1,114	-
Four Children	542	542	-
Five Children	244	244	-
Six Children	96	96	-
Seven Children	46	46	-
Eight Children	19	19	-
Nine or More Children	17	17	-
Not Stated	132	131	1

TABLE 23. REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT vs TO WHOM DECREE GRANTED, MISSOURI: 1964

Decree To Whom Granted						
Separate Maintenance						
Complainant	Total	Husband	Wife	Husband	Wife	Not Stated
DIVORCES						
Total	12,723	3,163	9,428	-	1	131
Husband	2,874	2,751	98	-	-	25
Wife	9,731	390	9,260	-	1	80
Others	3	-	3	-	-	-
Not Stated	115	22	67	-	-	26
ANNULMENTS						
Total	62	16	45	-	-	1
Husband	17	16	-	-	-	1
Wife	45	-	45	-	-	-
Others	-	-	-	-	-	-
Not Stated	-	-	-	-	-	-

TABLE 24. REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT vs DISPOSITION OF CHILDREN, MISSOURI: 1964

Disposition of Children								
Complainant	Total	Husband	Wife	Guardian Joint	Custody	Not	No	
					to Others	Stated	Children	
DIVORCES								
Total	12,723	541	6,137	1	150	28	243	5,623
Husband	2,874	438	608	-	55	10	116	1,647
Wife	9,731	96	5,488	1	93	18	115	3,920
Others	3	-	2	-	-	-	-	1
Not Stated	115	7	39	-	2	-	12	55
ANNULMENTS								
Total	62	-	1	-	-	-	-	61
Husband	17	-	1	-	-	-	-	16
Wife	45	-	-	-	-	-	-	45
Others	-	-	-	-	-	-	-	-
Not Stated	-	-	-	-	-	-	-	-

TABLE 25. REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI: 1964

Alimony and Settlement	Total	Number	
		Divorces	Annulments
Total	12,785	12,723	62
No Alimony or Support	6,507	6,446	61
Alimony to Wife	637	637	-
Alimony to Husband	2	2	-
Property Settlement	14	14	-
Support to Children	3,057	3,057	-
Alimony and Child Support	2,329	2,329	-
Alimony or Support to Others	-	-	-
Not Stated	239	238	1

TABLE 26. REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE, MISSOURI: 1964

Legal Grounds for Decree	Total	Number	
		Divorces	Annulments
Total	12,785	12,723	62
Adultery	104	104	-
Cruelty	228	228	-
Desertion	1,065	1,065	-
Drunkenness	103	103	-
Non-Support	103	105	-
Bigamy	3	3	-
Conviction of Crime	69	69	-
Indignities	10,942	10,942	-
Insanity	-	-	-
Annulments	62	-	62
Social Disease	-	-	-
Not Stated	104	104	-

TABLE 27. REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND vs WIFE, MISSOURI: 1964

Husband	Total	White	Nonwhite	Other	Not Stated
DIVORCES					
Total	12,723	11,139	1,435	-	149
White	11,106	11,044	2	-	60
Nonwhite	1,436	12	1,422	-	2
Other	-	-	-	-	-
Not Stated	181	83	11	-	87
ANNULMENTS					
Total	62	58	4	-	-
White	57	57	-	-	-
Nonwhite	4	-	4	-	-
Other	-	-	-	-	-
Not Stated	1	1	-	-	-

TABLE 28. REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI: 1964

Contestant	Total	Number	
		Divorces	Annulments
Total	12,785	12,723	62
Husband	677	677	-
Wife	270	269	1
No Contest	11,646	11,586	60
Not Stated	192	191	1



Department of Public Health and Welfare
THE DIVISION OF HEALTH OF MISSOURI
Statistical Services
State Office Building
Jefferson City, Missouri 65101